



川源（中国）机械有限公司  
GSD Industrial Co.,Ltd.

# GHS

## 单级单吸卧式离心泵

**GHS single-stage single-suction horizontal centrifugal pump**

# GHS单级单吸卧式离心泵

GHS single-stage single-suction horizontal centrifugal pump



## 特点 Features

- GHS系列单级单吸离心泵依据EN733(DIN24255)标准设计。
- GHS结构简单，性能可靠，体积小，重量轻，抗汽蚀性能好，电耗低，使用维修方便。
- GHS为后开式，拆开泵盖和叶轮时不需拆卸吸水和排出管路，维修方便。
- 零件通用性广，全系列46种型号，只采用六种轴，零件通用，互换性好。
- 规格相同的泵因改变叶轮外径（切割叶轮）而有不同的性能（在泵型号上加上ABC表示）。
- 从驱动端看，泵为顺时针方向旋转。
- The GHS series single-stage single-suction horizontal centrifugal pump is designed in accordance with EN733(DIN 24255).
- The GHS has simple structure, reliable performance, small volume, light weight, good pitting resistance, low power consumption and easy operation and maintenance.
- The GHS is of the rear-open type. The suction and discharge pipes needn't be taken down for pump cover and impeller disassembly.
- The GHS parts are universally replaceable. The whole series have 46 models that only adopt six types of shaft. All parts may be universally exchanged.
- The pumps of the same specifications may have different performances(indicated with ABC on pump models) if changed in impeller outer diameters(cutting impeller).
- The pump rotates in the clockwise direction if viewed from the driven end.

## 用途 Application

GHS系列单级单吸卧式离心泵适用于输送清水或物理化学性质类似于水的液体，工厂、矿山、城市给排水、空调、消防和农田排灌等。

The GHS series single-stage single-suction horizontal centrifugal pump is used to convey clean water and the liquid with chemical and physical properties similar to water. It may be applied in water supply and drainage for factories, mines and cities, air conditioning, fire fighting and agricultural irrigation .



## 主要零件介绍

- 泵壳：底脚支承结构，螺旋形涡壳。涡室、底脚、进水法兰和出口法兰铸成一个整体，法兰可按工制或美制钻孔。
- 叶轮：闭式叶轮，采用优秀水力模型设计，保证泵的性能与效率，并进行动平衡试验。
- 悬架（轴承部件）：悬架内装有轴承，全系列共有6种轴规格，轴承用润滑脂（油）润滑。
- 轴封：使用机械密封结构，可选用国产及进口优质机封。
- 电机：选用优质高效节能电机，噪音低，振动小，也可根据需要配用防爆或特殊要求电机，泵通过弹性联轴器由电机直接驱动。

## 工作条件

- 出口口径：DN32～300mm。
- 流量范围：4.5～1660 m<sup>3</sup>/h。
- 扬程范围：5.2～150m。
- 转速：1450 r/min和2900 r/min(50Hz电源)。
- 输送介质温度：-10℃～85℃（超过温度范围，请向我司咨询）。
- 工作压力：一般为1.6MPa，如需提高（最高可承受2.5 MPa），请在订货时说明。


## The instruction of main parts

- Pump case: Foot support structure and spiral volute chamber, with volute chamber, foot, influent flange and discharge flange cast into an integrity. The flanges may be drilled accordance with the metric or U.S. system.
- Impeller: Closed impeller designed in the excellent hydraulic model to guarantee pump performance and efficiency. The dynamic balance test shall be conducted.
- Suspension(bearing part): The suspension fork is installed with bearing inside. There are totally 6 bearing specifications for the whole series. The bearings shall be lubricated by lubricating oil or grease.
- Shaft seal: Using mechanical seal. Domestic and imported high-quality mechanical seal may also be adopted.
- Electrical motor: High-quality motor with low noise and small vibration. explosion-proof motor or other motors with special requirements may be adopted if necessary. The pump is driven directly by electrical motor with elastic coupling.

## Working condition

- Outlet : DN32～300 mm.
- Capacity: 4.5～1660 m<sup>3</sup>/h.
- Head: 5.2～150m.
- Rotation Speed: 1450 r/min and 2900 r/min(50Hz power supply).
- Conveyance medium temperature: - 10℃～85℃(consult us if the temperature is beyond the above scope).
- Working pressure: 1.6MPa is standard,available for up to max working pressure 2.5MPa(please specify in your order).


## 结构简图 Construction



| NO. | 名称    | Name                     | 材质                                                                             | Material |
|-----|-------|--------------------------|--------------------------------------------------------------------------------|----------|
| 1   | 泵体    | Pump body                | 标配 HT250<br>选配 QT400, QT450, 1Cr18Ni9Ti,<br>0Cr18Ni9, ZG35, ZQA19-4            |          |
| 2   | 盖形螺母  | Cap nut                  | HT250                                                                          |          |
| 3   | 丝堵    | Pipe plug                | HT250                                                                          |          |
| 4   | 叶轮平键  | Impeller flat key        | 45                                                                             |          |
| 5   | 叶轮    | Impeller                 | 标配 HT250<br>选配 QT400, QT450, ZG35, ZQSn5-5-5,<br>1Cr18Ni9Ti, 0Cr18Ni9, ZQA19-4 |          |
| 6   | 密封环   | Seal ring                |                                                                                |          |
| 7   | 泵盖    | Pump cover               | HT250                                                                          |          |
| 8   | 泵体O型圈 | Pump body O-ring         |                                                                                |          |
| 9   | 悬架    | Suspension               | HT250                                                                          |          |
| 10  | 挡水圈   | Water deflector          | NBR                                                                            |          |
| 11  | 轴盖    | Shaft cap                | HT250                                                                          |          |
| 12  | 轴     | Shaft                    | 标配 2Cr13<br>选配 45, ZG35, 1Cr17Ni2, 1Cr18Ni9Ti                                  |          |
| 13  | 轴承    | Bearing                  |                                                                                |          |
| 14  | 悬架支撑  | Suspension support       | HT250                                                                          |          |
| 15  | 泵联轴器键 | Pump connection flat key | 45                                                                             |          |




## 密封环结构 Seal ring structure



### 泵规格 Pump specifications

GHS 32-130  
GHS 40-130  
GHS 50-130  
GHS 65-130  
GHS 32-160  
GHS 40-160  
GHS 50-160  
GHS 65-160  
GHS 80-160  
GHS 32-200  
GHS 40-200  
GHS 50-200  
GHS 65-200  
GHS 80-200  
GHS 100-200  
GHS 125-200  
GHS 32-260  
GHS 40-260  
GHS 50-260  
GHS 65-260  
GHS 80-260  
GHS100-260  
GHS125-260



### 泵规格 Pump specifications

GHS150-200  
GHS150-260  
GHS200-260  
GHS 40-320  
GHS 50-320  
GHS 65-320  
GHS 80-320  
GHS100-320  
GHS125-320  
GHS150-320  
GHS200-320  
GHS250-320  
GHS 80-400  
GHS100-400  
GHS125-400  
GHS150-400  
GHS200-400  
GHS250-400  
GHS300-400  
GHS125-500  
GHS150-500  
GHS200-500  
GHS250-500

单密封环结构: 叶轮进水面设有密封环, 背面设有副叶片, 依靠副叶片平衡轴向力


双密封环结构: 叶轮进水面设有密封环, 背面设有密封环, 平衡孔, 依靠平衡孔平衡轴向力

Single-seal ring structure: the influent side of impeller is set with seal ring, and the back is set with back vane for balancing axial thrust

Double-seal ring structure: the influent side of impeller is set with seal ring, and the back is set with seal ring and balance hole for balancing axial thrust




## 轴承结构及润滑方式 Bearing structure and lubrication mode




G结构:  
脂润滑结构, 适用所有除H结构和P结构的机  
型(标准配置)。

G structure:  
Grease lubrication structure, suitable for all pump  
models, except H & P structures (Standard).



H结构:  
油润滑结构,  
单指GHS40-320/2P; GHS50-320/2P;  
GHS65-320/2P; GHS80-160/2P;  
GHS80-320/2P五种机型。

H structure:  
Oil lubrication structure,  
Only suitable for pump models of  
GHS40-320/2P, GHS50-320/2P, GHS65-320/2P,  
GHS80-160/2P and GHS80-320/2P.




P结构:  
油(脂)润滑结构,  
单指GHS300-320; GHS300-400;  
GHS250-500 三种机型。


P structure:  
Oil(Grease) lubrication structure,  
Only suitable for pump models of  
GHS300-320, GHS300-400, GHS250-500.



## 机封结构 Seal structure





## 型号说明 Type description





## 性能曲线 Performance curves



## 性能参数 Performance parameters

(2P)

| 泵型号<br>Pump model | 流量<br>Capacity    |      | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-------------------|-------------------|------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                   | m <sup>3</sup> /h | l/s  |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS32-130         | 9                 | 2.5  | 24.9                   | 2900                        | 1.23                       | 2.2                 | 44                       | 1.8                        | 50                           | 32              | 27.5                  |
|                   | 15                | 4.2  | 23                     |                             | 1.47                       | 2.2                 | 55                       | 2.0                        |                              |                 |                       |
|                   | 18                | 5.0  | 21                     |                             | 1.58                       | 2.2                 | 56                       | 2.5                        |                              |                 |                       |
| GHS32-130A        | 8.5               | 2.4  | 21.2                   | 2900                        | 1.04                       | 2.2                 | 43.5                     | 1.8                        | 50                           | 32              | 27.5                  |
|                   | 14                | 3.9  | 19                     |                             | 1.23                       | 2.2                 | 54                       | 1.95                       |                              |                 |                       |
|                   | 17                | 4.7  | 17.3                   |                             | 1.32                       | 2.2                 | 53                       | 2.3                        |                              |                 |                       |
| GHS32-130B        | 7.8               | 2.2  | 17.3                   | 2900                        | 0.89                       | 1.5                 | 42                       | 1.8                        | 50                           | 32              | 27.5                  |
|                   | 13                | 3.6  | 15.3                   |                             | 1.02                       | 1.5                 | 51                       | 1.88                       |                              |                 |                       |
|                   | 15.5              | 4.3  | 13.8                   |                             | 1.07                       | 1.5                 | 52                       | 2.08                       |                              |                 |                       |
| GHS32-160         | 10.8              | 3.0  | 40                     | 2900                        | 2.50                       | 5.5                 | 47                       | 1.2                        | 50                           | 32              | 35                    |
|                   | 18                | 5.0  | 38.5                   |                             | 3.23                       | 5.5                 | 58.5                     | 2                          |                              |                 |                       |
|                   | 21.6              | 6.0  | 36                     |                             | 3.59                       | 5.5                 | 59                       | 2.6                        |                              |                 |                       |
| GHS32-160A        | 10.5              | 2.9  | 35.7                   | 2900                        | 2.22                       | 4                   | 46                       | 1.9                        | 50                           | 32              | 35                    |
|                   | 17                | 4.7  | 33                     |                             | 2.78                       | 4                   | 55                       | 1.95                       |                              |                 |                       |
|                   | 21                | 5.8  | 30                     |                             | 3.06                       | 4                   | 56                       | 2.4                        |                              |                 |                       |
| GHS32-160B        | 9.8               | 2.7  | 32.4                   | 2900                        | 1.97                       | 4                   | 44                       | 1.9                        | 50                           | 32              | 35                    |
|                   | 16                | 4.4  | 29.5                   |                             | 2.43                       | 4                   | 53                       | 1.95                       |                              |                 |                       |
|                   | 19.5              | 5.4  | 27                     |                             | 2.66                       | 4                   | 54                       | 2.2                        |                              |                 |                       |
| GHS32-200         | 10.8              | 3.0  | 66                     | 2900                        | 4.51                       | 11                  | 43                       | 1.3                        | 50                           | 32              | 41                    |
|                   | 18                | 5.0  | 61.5                   |                             | 5.74                       | 11                  | 52.5                     | 1.9                        |                              |                 |                       |
|                   | 21.6              | 6.0  | 57                     |                             | 6.27                       | 11                  | 53.5                     | 2.3                        |                              |                 |                       |
| GHS32-200A        | 10.2              | 2.8  | 58.2                   | 2900                        | 4.04                       | 7.5                 | 40                       | 1.8                        | 50                           | 32              | 41                    |
|                   | 17                | 4.7  | 55.8                   |                             | 4.87                       | 7.5                 | 53                       | 1.95                       |                              |                 |                       |
|                   | 20.4              | 5.7  | 52.2                   |                             | 5.47                       | 7.5                 | 53                       | 2.2                        |                              |                 |                       |
| GHS32-200B        | 9.9               | 2.8  | 51.5                   | 2900                        | 3.65                       | 7.5                 | 38                       | 1.8                        | 50                           | 32              | 41                    |
|                   | 16.5              | 4.6  | 48                     |                             | 4.40                       | 7.5                 | 49                       | 1.9                        |                              |                 |                       |
|                   | 19.8              | 5.5  | 45                     |                             | 4.97                       | 7.5                 | 48.8                     | 2.15                       |                              |                 |                       |
| GHS32-260         | 13.2              | 3.7  | 102                    | 2900                        | 11.21                      | 18.5                | 32.7                     | 1.8                        | 50                           | 32              | 59                    |
|                   | 22                | 6.1  | 96                     |                             | 14.10                      | 18.5                | 40.8                     | 2.7                        |                              |                 |                       |
|                   | 26.4              | 7.3  | 89                     |                             | 15.61                      | 18.5                | 41                       | 3.3                        |                              |                 |                       |
| GHS32-260A        | 12.6              | 3.5  | 92.5                   | 2900                        | 10.11                      | 15                  | 31.4                     | 2.1                        | 50                           | 32              | 59                    |
|                   | 21                | 5.8  | 88                     |                             | 12.58                      | 15                  | 40                       | 2.2                        |                              |                 |                       |
|                   | 25.2              | 7.0  | 83                     |                             | 13.89                      | 15                  | 41                       | 2.5                        |                              |                 |                       |
| GHS32-260B        | 12.3              | 3.4  | 84.5                   | 2900                        | 9.43                       | 15                  | 30                       | 2.15                       | 50                           | 32              | 59                    |
|                   | 20.5              | 5.7  | 81                     |                             | 11.75                      | 15                  | 38.5                     | 2.16                       |                              |                 |                       |
|                   | 24.6              | 6.8  | 77                     |                             | 12.90                      | 15                  | 40                       | 2.38                       |                              |                 |                       |
| GHS40-130         | 18                | 5.0  | 26                     | 2900                        | 2.09                       | 4                   | 61                       | 1.8                        | 65                           | 40              | 30                    |
|                   | 30                | 8.3  | 24.5                   |                             | 2.65                       | 4                   | 75.5                     | 2.0                        |                              |                 |                       |
|                   | 36                | 10.0 | 23                     |                             | 2.91                       | 4                   | 77.5                     | 2.4                        |                              |                 |                       |
| GHS40-130A        | 16.8              | 4.7  | 22.5                   | 2900                        | 1.74                       | 4                   | 59                       | 1.8                        | 65                           | 40              | 30                    |
|                   | 28                | 7.8  | 21                     |                             | 2.29                       | 4                   | 70                       | 2                          |                              |                 |                       |
|                   | 33.6              | 9.3  | 20                     |                             | 2.54                       | 4                   | 72                       | 2.25                       |                              |                 |                       |
| GHS40-130B        | 15.5              | 4.3  | 18.5                   | 2900                        | 1.47                       | 3                   | 53                       | 1.8                        | 65                           | 40              | 30                    |
|                   | 26                | 7.2  | 17.5                   |                             | 1.91                       | 3                   | 65                       | 1.9                        |                              |                 |                       |
|                   | 31                | 8.6  | 16.5                   |                             | 2.14                       | 3                   | 65                       | 2.15                       |                              |                 |                       |
| GHS40-160         | 18                | 5.0  | 41                     | 2900                        | 3.72                       | 7.5                 | 54                       | 2.1                        | 65                           | 40              | 36                    |
|                   | 30                | 8.3  | 38.5                   |                             | 4.91                       | 7.5                 | 64                       | 2.5                        |                              |                 |                       |
|                   | 36                | 10.0 | 35.5                   |                             | 5.40                       | 7.5                 | 64.5                     | 3.6                        |                              |                 |                       |
| GHS40-160A        | 17                | 4.7  | 36                     | 2900                        | 3.21                       | 5.5                 | 52                       | 2.1                        | 65                           | 40              | 36                    |
|                   | 28.5              | 7.9  | 33.5                   |                             | 4.00                       | 5.5                 | 65                       | 2.5                        |                              |                 |                       |
|                   | 34                | 9.4  | 31                     |                             | 4.63                       | 5.5                 | 62                       | 3.25                       |                              |                 |                       |
| GHS40-160B        | 16                | 4.4  | 31.5                   | 2900                        | 2.86                       | 4                   | 48                       | 2.05                       | 65                           | 40              | 36                    |
|                   | 26.5              | 7.4  | 29                     |                             | 3.52                       | 4                   | 62                       | 2.4                        |                              |                 |                       |
|                   | 32                | 8.9  | 25.5                   |                             | 3.77                       | 4                   | 59                       | 2.9                        |                              |                 |                       |
| GHS40-200         | 18                | 5.0  | 64                     | 2900                        | 6.54                       | 11                  | 48                       | 1.85                       | 65                           | 40              | 44                    |
|                   | 30                | 8.3  | 61                     |                             | 8.38                       | 11                  | 59.5                     | 2.0                        |                              |                 |                       |
|                   | 36                | 10.0 | 58.6                   |                             | 9.27                       | 11                  | 62                       | 2.7                        |                              |                 |                       |
| GHS40-200A        | 17                | 4.7  | 58.5                   | 2900                        | 5.58                       | 11                  | 48.5                     | 1.8                        | 65                           | 40              | 44                    |
|                   | 29                | 8.1  | 56                     |                             | 7.25                       | 11                  | 61                       | 1.95                       |                              |                 |                       |
|                   | 34.5              | 9.6  | 53.5                   |                             | 7.98                       | 11                  | 63                       | 2.45                       |                              |                 |                       |
| GHS40-200B        | 16.5              | 4.6  | 52.5                   | 2900                        | 5.13                       | 11                  | 46                       | 1.8                        | 65                           | 40              | 44                    |
|                   | 27.5              | 7.6  | 49                     |                             | 6.22                       | 11                  | 59                       | 1.9                        |                              |                 |                       |
|                   | 33                | 9.2  | 47                     |                             | 6.92                       | 11                  | 61                       | 2.2                        |                              |                 |                       |
| GHS40-260         | 21.6              | 6.0  | 98.5                   | 2900                        | 12.88                      | 22                  | 45                       | 1.8                        | 65                           | 40              | 61                    |
|                   | 36                | 10.0 | 95.5                   |                             | 16.72                      | 22                  | 56                       | 2.0                        |                              |                 |                       |
|                   | 43.2              | 12.0 | 91                     |                             | 18.15                      | 22                  | 59                       | 2.5                        |                              |                 |                       |
| GHS40-260A        | 19.5              | 5.4  | 89                     | 2900                        | 11.25                      | 18.5                | 42                       | 1.8                        | 65                           | 40              | 61                    |
|                   | 32                | 8.9  | 87                     |                             | 14.31                      | 18.5                | 53                       | 1.95                       |                              |                 |                       |
|                   | 38.5              | 10.7 | 84                     |                             | 16.01                      | 18.5                | 55                       | 2.35                       |                              |                 |                       |





## 性能参数 Performance parameters

(2P)

| 泵型号<br>Pump model | 流量<br>Capacity    |      | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-------------------|-------------------|------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                   | m <sup>3</sup> /h | l/s  |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS40-260B        | 18.5              | 5.1  | 80                     | 2900                        | 10.08                      | 18.5                | 40                       | 1.8                        | 65                           | 40              | 61                    |
|                   | 30.5              | 8.5  | 78                     |                             | 12.22                      | 18.5                | 53                       | 1.9                        |                              |                 |                       |
|                   | 37                | 10.3 | 76                     |                             | 14.18                      | 18.5                | 54                       | 2.2                        |                              |                 |                       |
| GHS40-320         | 21.6              | 6.0  | 150                    | 2900                        | 25.95                      | 37                  | 34                       | 2                          | 65                           | 40              | 95.8                  |
|                   | 36                | 10.0 | 139                    |                             | 30.97                      | 37                  | 44                       | 2.8                        |                              |                 |                       |
|                   | 43.2              | 12.0 | 127                    |                             | 33.20                      | 37                  | 45                       | 3.8                        |                              |                 |                       |
| GHS40-320A        | 19.44             | 5.4  | 124                    | 2900                        | 19.31                      | 30                  | 34                       | 1.9                        | 65                           | 40              | 95.8                  |
|                   | 32.4              | 9.0  | 115                    |                             | 23.60                      | 30                  | 43                       | 2.9                        |                              |                 |                       |
|                   | 38.88             | 10.8 | 107                    |                             | 25.75                      | 30                  | 44                       | 3.8                        |                              |                 |                       |
| GHS40-320B        | 17.28             | 4.8  | 109                    | 2900                        | 16.03                      | 22                  | 32                       | 1.7                        | 65                           | 40              | 95.8                  |
|                   | 28.8              | 8.0  | 102                    |                             | 19.51                      | 22                  | 41                       | 2.6                        |                              |                 |                       |
|                   | 34.56             | 9.6  | 95                     |                             | 21.29                      | 22                  | 42                       | 3.2                        |                              |                 |                       |
| GHS50-130         | 36                | 10.0 | 26                     | 2900                        | 3.78                       | 7.5                 | 67.5                     | 2.5                        | 65                           | 50              | 34                    |
|                   | 60                | 16.7 | 23.5                   |                             | 5.05                       | 7.5                 | 76                       | 3.2                        |                              |                 |                       |
|                   | 72                | 20.0 | 21.5                   |                             | 5.66                       | 7.5                 | 74.5                     | 4                          |                              |                 |                       |
| GHS50-130A        | 33.5              | 9.3  | 21.5                   | 2900                        | 3.04                       | 5.5                 | 64.5                     | 2.5                        | 65                           | 50              | 34                    |
|                   | 56                | 15.6 | 18.5                   |                             | 4.00                       | 5.5                 | 70.5                     | 3.1                        |                              |                 |                       |
|                   | 67.5              | 18.8 | 15.5                   |                             | 4.35                       | 5.5                 | 65.5                     | 3.6                        |                              |                 |                       |
| GHS50-130B        | 31                | 8.6  | 18.5                   | 2900                        | 2.56                       | 5.5                 | 61                       | 2.5                        | 65                           | 50              | 34                    |
|                   | 52                | 14.4 | 16.5                   |                             | 3.34                       | 5.5                 | 70                       | 2.9                        |                              |                 |                       |
|                   | 62                | 17.2 | 15                     |                             | 3.67                       | 5.5                 | 69                       | 3.3                        |                              |                 |                       |
| GHS50-160         | 40                | 11.1 | 42.5                   | 2900                        | 6.76                       | 11                  | 68.5                     | 2.5                        | 65                           | 50              | 38                    |
|                   | 65                | 18.1 | 39                     |                             | 9.08                       | 11                  | 76                       | 3.5                        |                              |                 |                       |
|                   | 78                | 21.7 | 35.5                   |                             | 10.26                      | 11                  | 73.5                     | 4.2                        |                              |                 |                       |
| GHS50-160A        | 38                | 10.6 | 38                     | 2900                        | 5.62                       | 11                  | 70                       | 2.5                        | 65                           | 50              | 38                    |
|                   | 61.5              | 17.1 | 34.5                   |                             | 7.60                       | 11                  | 76                       | 3.3                        |                              |                 |                       |
|                   | 74                | 20.6 | 30                     |                             | 8.17                       | 11                  | 74                       | 3.9                        |                              |                 |                       |
| GHS50-160B        | 35.5              | 9.9  | 34                     | 2900                        | 4.63                       | 11                  | 71                       | 2.35                       | 65                           | 50              | 38                    |
|                   | 58                | 16.1 | 30.5                   |                             | 6.42                       | 11                  | 75                       | 3.1                        |                              |                 |                       |
|                   | 69.5              | 19.3 | 28                     |                             | 7.26                       | 11                  | 73                       | 3.7                        |                              |                 |                       |
| GHS50-200         | 36                | 10.0 | 61                     | 2900                        | 9.34                       | 18.5                | 64                       | 1.9                        | 65                           | 50              | 46                    |
|                   | 60                | 16.7 | 55                     |                             | 12.84                      | 18.5                | 70                       | 3.2                        |                              |                 |                       |
|                   | 72                | 20.0 | 51                     |                             | 14.39                      | 18.5                | 69.5                     | 4.1                        |                              |                 |                       |
| GHS50-200A        | 34.5              | 9.6  | 57                     | 2900                        | 8.93                       | 15                  | 60                       | 2.5                        | 65                           | 50              | 46                    |
|                   | 57.5              | 16.0 | 53                     |                             | 11.53                      | 15                  | 72                       | 3.1                        |                              |                 |                       |
|                   | 69                | 19.2 | 50.5                   |                             | 13                         | 15                  | 73                       | 3.75                       |                              |                 |                       |
| GHS50-200B        | 33                | 9.2  | 49.5                   | 2900                        | 7.18                       | 15                  | 62                       | 2.5                        | 65                           | 50              | 46                    |
|                   | 54.5              | 15.1 | 43                     |                             | 9.39                       | 15                  | 68                       | 3.0                        |                              |                 |                       |
|                   | 65.5              | 18.2 | 38                     |                             | 10.27                      | 15                  | 66                       | 3.5                        |                              |                 |                       |
| GHS50-260G        | 40                | 11.1 | 103                    | 2900                        | 20.78                      | 37                  | 54                       | 2.5                        | 65                           | 50              | 63                    |
|                   | 65                | 18.1 | 97.5                   |                             | 27.18                      | 37                  | 63.5                     | 3.5                        |                              |                 |                       |
|                   | 78                | 21.7 | 91                     |                             | 30.68                      | 37                  | 63                       | 4.2                        |                              |                 |                       |
| GHS50-260GA       | 38.5              | 10.7 | 91.5                   | 2900                        | 19.19                      | 30                  | 50                       | 2.4                        | 65                           | 50              | 63                    |
|                   | 63                | 17.5 | 85.5                   |                             | 24.45                      | 30                  | 60                       | 3.3                        |                              |                 |                       |
|                   | 75.5              | 21.0 | 80                     |                             | 26.75                      | 30                  | 61.5                     | 3.9                        |                              |                 |                       |
| GHS50-260GB       | 37                | 10.3 | 84                     | 2900                        | 16.93                      | 30                  | 50                       | 2.3                        | 65                           | 50              | 63                    |
|                   | 60.5              | 16.8 | 77                     |                             | 21.14                      | 30                  | 60                       | 3.2                        |                              |                 |                       |
|                   | 72.5              | 20.1 | 71                     |                             | 24.17                      | 30                  | 58                       | 3.9                        |                              |                 |                       |
| GHS50-320         | 54                | 15.0 | 146                    | 2900                        | 40.51                      | 75                  | 53                       | 3.5                        | 65                           | 50              | 101                   |
|                   | 90                | 25.0 | 137                    |                             | 55.05                      | 75                  | 61                       | 7.0                        |                              |                 |                       |
|                   | 108               | 30.0 | 130                    |                             | 61.67                      | 75                  | 62                       | 8.0                        |                              |                 |                       |
| GHS50-320A        | 48.6              | 13.5 | 130                    | 2900                        | 34.41                      | 75                  | 50                       | 3.3                        | 65                           | 50              | 101                   |
|                   | 81                | 22.5 | 124                    |                             | 45.59                      | 75                  | 60                       | 6.5                        |                              |                 |                       |
|                   | 97.2              | 27.0 | 117                    |                             | 50.77                      | 75                  | 61                       | 7.5                        |                              |                 |                       |
| GHS50-320B        | 46.8              | 13.0 | 105                    | 2900                        | 25.74                      | 45                  | 52                       | 2.5                        | 65                           | 50              | 101                   |
|                   | 78.12             | 21.7 | 98                     |                             | 35.04                      | 45                  | 59.5                     | 5.0                        |                              |                 |                       |
|                   | 93.6              | 26.0 | 91                     |                             | 39.32                      | 45                  | 59                       | 6.5                        |                              |                 |                       |
| GHS65-130         | 60                | 16.7 | 25.5                   | 2900                        | 6.27                       | 11                  | 69                       | 3.0                        | 80                           | 65              | 39                    |
|                   | 100               | 27.8 | 21                     |                             | 8.17                       | 11                  | 70                       | 3.5                        |                              |                 |                       |
|                   | 120               | 33.3 | 16                     |                             | 8.86                       | 11                  | 59                       | 4.5                        |                              |                 |                       |
| GHS65-130A        | 56                | 15.6 | 21.8                   | 2900                        | 5.11                       | 11                  | 65                       | 3                          | 80                           | 65              | 39                    |
|                   | 93.5              | 26.0 | 17.5                   |                             | 6.37                       | 11                  | 70                       | 3.5                        |                              |                 |                       |
|                   | 112.5             | 31.3 | 13                     |                             | 6.99                       | 11                  | 57                       | 4.1                        |                              |                 |                       |
| GHS65-130B        | 52                | 14.4 | 18                     | 2900                        | 4.08                       | 7.5                 | 62.5                     | 3                          | 80                           | 65              | 39                    |
|                   | 86.5              | 24.0 | 13.7                   |                             | 4.89                       | 7.5                 | 66                       | 3.3                        |                              |                 |                       |
|                   | 104               | 28.9 | 10.6                   |                             | 5.27                       | 7.5                 | 57                       | 3.75                       |                              |                 |                       |
| GHS65-160         | 64.8              | 18.0 | 39                     | 2900                        | 9.97                       | 18.5                | 69                       | 3.6                        | 80                           | 65              | 43                    |
|                   | 108               | 30.0 | 33.5                   |                             | 12.71                      | 18.5                | 77.5                     | 4.2                        |                              |                 |                       |
|                   | 129.6             | 36.0 | 29                     |                             | 14.22                      | 18.5                | 72                       | 5.2                        |                              |                 |                       |



## 性能参数 Performance parameters

(2P)

| 泵型号<br>Pump model | 流量<br>Capacity    |      | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-------------------|-------------------|------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                   | m <sup>3</sup> /h | l/s  |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS65-160A        | 57                | 15.8 | 34                     | 2900                        | 8.38                       | 15                  | 63                       | 3.6                        | 80                           | 65              | 43                    |
|                   | 95                | 26.4 | 30.5                   |                             | 10.66                      | 15                  | 74                       | 4.1                        |                              |                 |                       |
|                   | 114               | 31.7 | 27                     |                             | 11.81                      | 15                  | 71                       | 4.8                        |                              |                 |                       |
| GHS65-160B        | 53.5              | 14.9 | 30                     | 2900                        | 7.28                       | 11                  | 60                       | 3.6                        | 80                           | 65              | 43                    |
|                   | 89                | 24.7 | 25.5                   |                             | 8.83                       | 11                  | 70                       | 3.95                       |                              |                 |                       |
|                   | 107               | 29.7 | 22.5                   |                             | 9.50                       | 11                  | 69                       | 4.5                        |                              |                 |                       |
| GHS65-200G        | 66                | 18.3 | 64                     | 2900                        | 17.7                       | 30                  | 65                       | 3.0                        | 80                           | 65              | 70                    |
|                   | 110               | 30.6 | 59                     |                             | 23.72                      | 30                  | 74.5                     | 3.9                        |                              |                 |                       |
|                   | 132               | 36.7 | 54.5                   |                             | 26.66                      | 30                  | 73.5                     | 5.3                        |                              |                 |                       |
| GHS65-200GA       | 63                | 17.5 | 60                     | 2900                        | 16.08                      | 30                  | 64                       | 3.0                        | 80                           | 65              | 70                    |
|                   | 105.5             | 29.3 | 55.5                   |                             | 21.55                      | 30                  | 74                       | 3.9                        |                              |                 |                       |
|                   | 126.5             | 35.1 | 52                     |                             | 24.37                      | 30                  | 73.5                     | 5.3                        |                              |                 |                       |
| GHS65-200GB       | 60                | 16.7 | 50                     | 2900                        | 13.18                      | 22                  | 62                       | 3.0                        | 80                           | 65              | 70                    |
|                   | 100               | 27.8 | 45.5                   |                             | 16.41                      | 22                  | 75.5                     | 3.6                        |                              |                 |                       |
|                   | 120               | 33.3 | 42                     |                             | 18.30                      | 22                  | 75                       | 4.4                        |                              |                 |                       |
| GHS65-260         | 72                | 20.0 | 98                     | 2900                        | 29.79                      | 55                  | 64.5                     | 3.3                        | 80                           | 65              | 81                    |
|                   | 120               | 33.3 | 90                     |                             | 42.29                      | 55                  | 73                       | 4.5                        |                              |                 |                       |
|                   | 144               | 40.0 | 83                     |                             | 44.59                      | 55                  | 73                       | 5.4                        |                              |                 |                       |
| GHS65-260A        | 69.5              | 19.3 | 92                     | 2900                        | 26.79                      | 45                  | 65                       | 3.25                       | 80                           | 65              | 81                    |
|                   | 116               | 32.2 | 86                     |                             | 38.81                      | 45                  | 70                       | 4.4                        |                              |                 |                       |
|                   | 139               | 38.6 | 79                     |                             | 41.53                      | 45                  | 72                       | 4.95                       |                              |                 |                       |
| GHS65-260B        | 67                | 18.6 | 82.5                   | 2900                        | 23.89                      | 45                  | 63                       | 3.2                        | 80                           | 65              | 81                    |
|                   | 111.5             | 31.0 | 76                     |                             | 32.50                      | 45                  | 71                       | 4.25                       |                              |                 |                       |
|                   | 133.5             | 37.1 | 71                     |                             | 36.88                      | 45                  | 70                       | 4.95                       |                              |                 |                       |
| GHS65-320         | 81                | 22.5 | 147                    | 2900                        | 60.05                      | 110                 | 54                       | 3.8                        | 80                           | 65              | 110                   |
|                   | 135               | 37.5 | 131                    |                             | 76.45                      | 110                 | 63                       | 4.4                        |                              |                 |                       |
|                   | 162               | 45.0 | 115                    |                             | 84.56                      | 110                 | 60                       | 5.5                        |                              |                 |                       |
| GHS65-320A        | 81                | 22.5 | 120                    | 2900                        | 48.13                      | 90                  | 55                       | 3.7                        | 80                           | 65              | 110                   |
|                   | 135               | 37.5 | 108                    |                             | 64.04                      | 90                  | 62                       | 4.3                        |                              |                 |                       |
|                   | 162               | 45.0 | 97                     |                             | 73.78                      | 90                  | 58                       | 5.2                        |                              |                 |                       |
| GHS65-320B        | 81                | 22.5 | 107                    | 2900                        | 40.00                      | 75                  | 59                       | 3.5                        | 80                           | 65              | 110                   |
|                   | 135               | 37.5 | 94                     |                             | 56.65                      | 75                  | 61                       | 4.3                        |                              |                 |                       |
|                   | 162               | 45.0 | 83                     |                             | 67.81                      | 75                  | 54                       | 4.8                        |                              |                 |                       |
| GHS80-160         | 100               | 27.8 | 39.5                   | 2900                        | 15.15                      | 30                  | 71                       | 3.3                        | 100                          | 80              | 54                    |
|                   | 162               | 45.0 | 35                     |                             | 19.80                      | 30                  | 78                       | 4.0                        |                              |                 |                       |
|                   | 195               | 54.2 | 31                     |                             | 21.95                      | 30                  | 75                       | 5.0                        |                              |                 |                       |
| GHS80-160A        | 95                | 26.4 | 33                     | 2900                        | 13.13                      | 22                  | 65                       | 3.3                        | 100                          | 80              | 54                    |
|                   | 153.5             | 42.6 | 28                     |                             | 16.26                      | 22                  | 72                       | 3.85                       |                              |                 |                       |
|                   | 185               | 51.4 | 24                     |                             | 17.78                      | 22                  | 68                       | 4.6                        |                              |                 |                       |
| GHS80-160B        | 89                | 24.7 | 29.5                   | 2900                        | 11.17                      | 18.5                | 64                       | 3.25                       | 100                          | 80              | 54                    |
|                   | 144.5             | 40.1 | 25                     |                             | 13.29                      | 18.5                | 74                       | 3.7                        |                              |                 |                       |
|                   | 174               | 48.3 | 21                     |                             | 14.22                      | 18.5                | 70                       | 4.3                        |                              |                 |                       |
| GHS80-200         | 115               | 31.9 | 60                     | 2900                        | 26.84                      | 45                  | 70                       | 4.0                        | 100                          | 80              | 70                    |
|                   | 190               | 52.8 | 55                     |                             | 36.49                      | 45                  | 78                       | 5.1                        |                              |                 |                       |
|                   | 225               | 62.5 | 50                     |                             | 41.12                      | 45                  | 74.5                     | 6.2                        |                              |                 |                       |
| GHS80-200A        | 110               | 30.6 | 57                     | 2900                        | 25.11                      | 37                  | 68                       | 4.0                        | 100                          | 80              | 70                    |
|                   | 182               | 50.6 | 53.5                   |                             | 34.44                      | 37                  | 77                       | 4.9                        |                              |                 |                       |
|                   | 215.5             | 59.9 | 44.5                   |                             | 37.31                      | 37                  | 70                       | 5.85                       |                              |                 |                       |
| GHS80-200B        | 105               | 29.2 | 49.5                   | 2900                        | 20.82                      | 37                  | 68                       | 4.0                        | 100                          | 80              | 70                    |
|                   | 173               | 48.1 | 45                     |                             | 27.90                      | 37                  | 76                       | 4.7                        |                              |                 |                       |
|                   | 205               | 56.9 | 40                     |                             | 31.90                      | 37                  | 70                       | 5.5                        |                              |                 |                       |
| GHS80-260         | 115               | 31.9 | 97                     | 2900                        | 46.74                      | 75                  | 65                       | 4.0                        | 100                          | 80              | 91                    |
|                   | 190               | 52.8 | 88                     |                             | 60.71                      | 75                  | 75                       | 5.4                        |                              |                 |                       |
|                   | 225               | 62.5 | 81                     |                             | 67.53                      | 75                  | 73.5                     | 6.5                        |                              |                 |                       |
| GHS80-260A        | 111               | 30.8 | 91.5                   | 2900                        | 43.90                      | 75                  | 63                       | 3.95                       | 100                          | 80              | 91                    |
|                   | 183.5             | 51.0 | 81.5                   |                             | 54.30                      | 75                  | 75                       | 5.2                        |                              |                 |                       |
|                   | 217.5             | 60.4 | 73                     |                             | 59.23                      | 75                  | 73                       | 6.25                       |                              |                 |                       |
| GHS80-260B        | 106.5             | 29.6 | 79                     | 2900                        | 37.56                      | 75                  | 61                       | 3.9                        | 100                          | 80              | 91                    |
|                   | 176.5             | 49.0 | 68.5                   |                             | 45.10                      | 75                  | 73                       | 5                          |                              |                 |                       |
|                   | 209               | 58.1 | 60                     |                             | 48.10                      | 75                  | 71                       | 6                          |                              |                 |                       |
| GHS80-320         | 126               | 35.0 | 146                    | 2900                        | 78.28                      | 132                 | 64                       | 5.6                        | 100                          | 80              | 120                   |
|                   | 210               | 58.3 | 134                    |                             | 103.56                     | 132                 | 74                       | 6.3                        |                              |                 |                       |
|                   | 252               | 70.0 | 121                    |                             | 113.75                     | 132                 | 73                       | 7                          |                              |                 |                       |
| GHS80-320A        | 117               | 32.5 | 125                    | 2900                        | 64.24                      | 110                 | 62                       | 6.1                        | 100                          | 80              | 120                   |
|                   | 195               | 54.2 | 114                    |                             | 82.93                      | 110                 | 73                       | 6.3                        |                              |                 |                       |
|                   | 234               | 65.0 | 103                    |                             | 91.16                      | 110                 | 72                       | 6.9                        |                              |                 |                       |
| GHS80-320B        | 108               | 30.0 | 104                    | 2900                        | 47.79                      | 90                  | 64                       | 5                          | 100                          | 80              | 120                   |
|                   | 180               | 50.0 | 95                     |                             | 63.79                      | 90                  | 73                       | 5.8                        |                              |                 |                       |
|                   | 216               | 60.0 | 85                     |                             | 71.43                      | 90                  | 70                       | 6.3                        |                              |                 |                       |



## 性能参数 Performance parameters

(2P/4P)

| 泵型号<br>Pump model           | 流量<br>Capacity    |       | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-----------------------------|-------------------|-------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                             | m <sup>3</sup> /h | l/s   |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS100-200                  | 180               | 50.0  | 61                     | 2900                        | 41.53                      | 75                  | 72                       | 4.0                        | 125                          | 100             | 85                    |
|                             | 295               | 81.9  | 51.5                   |                             | 52.37                      | 75                  | 79                       | 5.3                        |                              |                 |                       |
|                             | 340               | 94.4  | 42                     |                             | 52.55                      | 75                  | 74                       | 6.3                        |                              |                 |                       |
| GHS100-200A                 | 172.5             | 47.9  | 51                     | 2900                        | 34.72                      | 55                  | 69                       | 3.95                       | 125                          | 100             | 85                    |
|                             | 273               | 75.8  | 42                     |                             | 42.20                      | 55                  | 74                       | 4.9                        |                              |                 |                       |
|                             | 325.5             | 90.4  | 36                     |                             | 46.25                      | 55                  | 69                       | 5.95                       |                              |                 |                       |
| GHS100-200B                 | 164               | 45.6  | 46                     | 2900                        | 30.21                      | 45                  | 68                       | 3.9                        | 125                          | 100             | 85                    |
|                             | 260               | 72.2  | 35                     |                             | 35.40                      | 45                  | 70                       | 4.8                        |                              |                 |                       |
|                             | 310               | 86.1  | 31                     |                             | 39.06                      | 45                  | 67                       | 5.6                        |                              |                 |                       |
| GHS100-260<br>GHS100-260G   | 190               | 52.8  | 97                     | 2900                        | 70.69                      | 110                 | 71                       | 3.8                        | 125                          | 100             | 106                   |
|                             | 295               | 81.9  | 86                     |                             | 90.91                      | 110                 | 76                       | 5.2                        |                              |                 |                       |
|                             | 350               | 97.2  | 80                     |                             | 103.04                     | 110                 | 74                       | 6.5                        |                              |                 |                       |
| GHS100-260A<br>GHS100-260GA | 183.5             | 51.0  | 85.5                   | 2900                        | 61.92                      | 110                 | 69                       | 3.75                       | 125                          | 100             | 106                   |
|                             | 285               | 79.2  | 75                     |                             | 78.66                      | 110                 | 74                       | 5                          |                              |                 |                       |
|                             | 338               | 93.9  | 66                     |                             | 85.57                      | 110                 | 71                       | 6.2                        |                              |                 |                       |
| GHS100-260B<br>GHS100-260GB | 177               | 49.2  | 76                     | 2900                        | 54.68                      | 90                  | 67                       | 3.7                        | 125                          | 100             | 106                   |
|                             | 274               | 76.1  | 66                     |                             | 68.4                       | 90                  | 72                       | 4.8                        |                              |                 |                       |
|                             | 325               | 90.3  | 58                     |                             | 75.49                      | 90                  | 68                       | 5.9                        |                              |                 |                       |
| GHS125-200                  | 237.6             | 66.0  | 57.5                   | 2900                        | 57.68                      | 90                  | 64.5                     | 7                          | 150                          | 125             | 106                   |
|                             | 360               | 100.0 | 50.5                   |                             | 66.46                      | 90                  | 74.5                     | 7.2                        |                              |                 |                       |
|                             | 475.2             | 132.0 | 40                     |                             | 76.12                      | 90                  | 68                       | 7.8                        |                              |                 |                       |
| GHS32-130                   | 4.5               | 1.3   | 6.2                    | 1450                        | 0.22                       | 0.55                | 35                       | 1.8                        | 50                           | 32              | 27.5                  |
|                             | 7.5               | 2.1   | 5.6                    |                             | 0.25                       | 0.55                | 46                       | 2.0                        |                              |                 |                       |
|                             | 9                 | 2.5   | 5.2                    |                             | 0.26                       | 0.55                | 49                       | 2.3                        |                              |                 |                       |
| GHS32-160                   | 6                 | 1.7   | 9.7                    | 1450                        | 0.38                       | 0.55                | 42                       | 0.7                        | 50                           | 32              | 35                    |
|                             | 9                 | 2.5   | 9                      |                             | 0.46                       | 0.55                | 48                       | 1.0                        |                              |                 |                       |
|                             | 11                | 3.1   | 8                      |                             | 0.48                       | 0.55                | 49.5                     | 1.4                        |                              |                 |                       |
| GHS32-200                   | 6                 | 1.7   | 16.3                   | 1450                        | 0.67                       | 1.1                 | 40                       | 1.8                        | 50                           | 32              | 41                    |
|                             | 9                 | 2.5   | 15.4                   |                             | 0.79                       | 1.1                 | 48                       | 2.0                        |                              |                 |                       |
|                             | 11                | 3.1   | 14.5                   |                             | 0.85                       | 1.1                 | 51                       | 2.3                        |                              |                 |                       |
| GHS32-260                   | 7.2               | 2.0   | 25                     | 1450                        | 1.63                       | 3                   | 30                       | 1.8                        | 50                           | 32              | 59                    |
|                             | 12                | 3.3   | 23.5                   |                             | 1.94                       | 3                   | 39.5                     | 2.0                        |                              |                 |                       |
|                             | 14.4              | 4.0   | 22                     |                             | 2.05                       | 3                   | 42                       | 2.3                        |                              |                 |                       |
| GHS40-130                   | 10.8              | 3.0   | 6.55                   | 1450                        | 0.34                       | 0.55                | 57                       | 1.8                        | 65                           | 40              | 30                    |
|                             | 18                | 5.0   | 5.8                    |                             | 0.42                       | 0.55                | 67                       | 2.0                        |                              |                 |                       |
|                             | 21.6              | 6.0   | 5.4                    |                             | 0.47                       | 0.55                | 67                       | 2.4                        |                              |                 |                       |
| GHS40-160                   | 10.8              | 3.0   | 10.2                   | 1450                        | 0.55                       | 1.1                 | 55                       | 1.8                        | 65                           | 40              | 36                    |
|                             | 18                | 5.0   | 8.8                    |                             | 0.70                       | 1.1                 | 62                       | 2.0                        |                              |                 |                       |
|                             | 21.6              | 6.0   | 7.8                    |                             | 0.76                       | 1.1                 | 60                       | 2.4                        |                              |                 |                       |
| GHS40-200                   | 10.8              | 3.0   | 16.2                   | 1450                        | 0.95                       | 1.5                 | 50                       | 1.8                        | 65                           | 40              | 44                    |
|                             | 18                | 5.0   | 14                     |                             | 1.23                       | 1.5                 | 56                       | 2.0                        |                              |                 |                       |
|                             | 21.6              | 6.0   | 12.4                   |                             | 1.33                       | 1.5                 | 55                       | 2.4                        |                              |                 |                       |
| GHS40-260                   | 12.6              | 3.5   | 24.4                   | 1450                        | 1.99                       | 3                   | 42                       | 1.8                        | 65                           | 40              | 61                    |
|                             | 21                | 5.8   | 22                     |                             | 2.42                       | 3                   | 52                       | 2.0                        |                              |                 |                       |
|                             | 25.2              | 7.0   | 20                     |                             | 2.61                       | 3                   | 52.5                     | 2.4                        |                              |                 |                       |
| GHS40-320                   | 9                 | 2.5   | 38                     | 1450                        | 3.10                       | 5.5                 | 30                       | 3.1                        | 65                           | 40              | 95.8                  |
|                             | 14.4              | 4.0   | 37.5                   |                             | 3.50                       | 5.5                 | 42                       | 2.1                        |                              |                 |                       |
|                             | 18                | 5.0   | 37                     |                             | 4.03                       | 5.5                 | 45                       | 3.8                        |                              |                 |                       |
| GHS40-320A                  | 10.5              | 2.9   | 34.5                   | 1450                        | 3.23                       | 5.5                 | 30.5                     | 3.3                        | 65                           | 40              | 95.8                  |
|                             | 17                | 4.7   | 32                     |                             | 3.85                       | 5.5                 | 38.5                     | 2                          |                              |                 |                       |
|                             | 20.5              | 5.7   | 29                     |                             | 4.32                       | 5.5                 | 37.5                     | 2.9                        |                              |                 |                       |
| GHS40-320B                  | 10                | 2.8   | 31                     | 1450                        | 2.91                       | 5.5                 | 29                       | 3.6                        | 65                           | 40              | 95.8                  |
|                             | 16.5              | 4.6   | 29                     |                             | 3.52                       | 5.5                 | 37                       | 2                          |                              |                 |                       |
|                             | 20                | 5.6   | 26                     |                             | 3.93                       | 5.5                 | 36                       | 2.7                        |                              |                 |                       |
| GHS50-130                   | 18                | 5.0   | 6.6                    | 1450                        | 0.54                       | 1.1                 | 60                       | 2.2                        | 65                           | 50              | 34                    |
|                             | 30                | 8.3   | 6.3                    |                             | 0.68                       | 1.1                 | 75.5                     | 2.4                        |                              |                 |                       |
|                             | 36                | 10.0  | 5.7                    |                             | 0.76                       | 1.1                 | 74                       | 2.8                        |                              |                 |                       |
| GHS50-160                   | 20                | 5.6   | 10.4                   | 1450                        | 0.89                       | 1.5                 | 64                       | 2.3                        | 65                           | 50              | 38                    |
|                             | 32                | 8.9   | 9.8                    |                             | 1.15                       | 1.5                 | 74.3                     | 2.4                        |                              |                 |                       |
|                             | 38                | 10.6  | 9.4                    |                             | 1.31                       | 1.5                 | 74.5                     | 3.0                        |                              |                 |                       |
| GHS50-200                   | 18                | 5.0   | 16                     | 1450                        | 1.35                       | 2.2                 | 58                       | 2.2                        | 65                           | 50              | 46                    |
|                             | 30                | 8.3   | 14                     |                             | 1.79                       | 2.2                 | 64                       | 2.3                        |                              |                 |                       |
|                             | 36                | 10.0  | 13.5                   |                             | 2.04                       | 2.2                 | 65                       | 2.9                        |                              |                 |                       |
| GHS50-260                   | 20                | 5.6   | 25                     | 1450                        | 2.59                       | 5.5                 | 52.5                     | 2.3                        | 65                           | 50              | 63                    |
|                             | 32                | 8.9   | 24                     |                             | 3.24                       | 5.5                 | 64.5                     | 2.4                        |                              |                 |                       |
|                             | 38                | 10.6  | 23                     |                             | 3.58                       | 5.5                 | 66.5                     | 3.0                        |                              |                 |                       |
| GHS50-320                   | 32.4              | 9.0   | 37                     | 1450                        | 5.78                       | 11                  | 56.5                     | 2.0                        | 65                           | 50              | 101                   |
|                             | 54                | 15.0  | 30.5                   |                             | 7.80                       | 11                  | 57.5                     | 2.5                        |                              |                 |                       |
|                             | 64.8              | 18.0  | 23.5                   |                             | 8.73                       | 11                  | 47.5                     | 3.2                        |                              |                 |                       |



## 性能参数 Performance parameters

(4P)

| 泵型号<br>Pump model | 流量<br>Capacity    |      | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-------------------|-------------------|------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                   | m <sup>3</sup> /h | l/s  |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS50-320A        | 23                | 6.4  | 33.5                   | 1450                        | 4.20                       | 7.5                 | 50                       | 2.0                        | 65                           | 50              | 101                   |
|                   | 38.5              | 10.7 | 31.3                   |                             | 5.29                       | 7.5                 | 62                       | 2.4                        |                              |                 |                       |
|                   | 46                | 12.8 | 30                     |                             | 5.97                       | 7.5                 | 63                       | 3.0                        |                              |                 |                       |
| GHS50-320B        | 22                | 6.1  | 29.8                   | 1450                        | 3.57                       | 7.5                 | 50                       | 2.0                        | 65                           | 50              | 101                   |
|                   | 36.5              | 10.1 | 28.5                   |                             | 4.64                       | 7.5                 | 61                       | 2.3                        |                              |                 |                       |
|                   | 44                | 12.2 | 27                     |                             | 5.22                       | 7.5                 | 62                       | 2.8                        |                              |                 |                       |
| GHS65-130         | 21.6              | 6.0  | 6.7                    | 1450                        | 0.79                       | 1.5                 | 50                       | 2.2                        | 80                           | 65              | 39                    |
|                   | 36                | 10.0 | 6.4                    |                             | 0.95                       | 1.5                 | 66                       | 2.4                        |                              |                 |                       |
|                   | 43.2              | 12.0 | 6                      |                             | 1.02                       | 1.5                 | 69                       | 2.8                        |                              |                 |                       |
| GHS65-160         | 32.4              | 9.0  | 10                     | 1450                        | 1.38                       | 2.2                 | 64                       | 2.0                        | 80                           | 65              | 43                    |
|                   | 54                | 15.0 | 9.2                    |                             | 1.73                       | 2.2                 | 78                       | 2.2                        |                              |                 |                       |
|                   | 64.8              | 18.0 | 8.4                    |                             | 1.82                       | 2.2                 | 81.5                     | 2.5                        |                              |                 |                       |
| GHS65-200         | 35                | 9.7  | 16.4                   | 1450                        | 2.37                       | 4                   | 66                       | 1.9                        | 80                           | 65              | 52                    |
|                   | 55                | 15.3 | 15                     |                             | 2.94                       | 4                   | 76.5                     | 2.0                        |                              |                 |                       |
|                   | 66                | 18.3 | 13.8                   |                             | 3.20                       | 4                   | 77.5                     | 2.3                        |                              |                 |                       |
| GHS65-260         | 43.2              | 12.0 | 25.3                   | 1450                        | 4.48                       | 7.5                 | 66.5                     | 2.0                        | 80                           | 65              | 81                    |
|                   | 72                | 20.0 | 21.5                   |                             | 5.74                       | 7.5                 | 73.5                     | 2.3                        |                              |                 |                       |
|                   | 86.4              | 24.0 | 18.7                   |                             | 6.47                       | 7.5                 | 68                       | 3.0                        |                              |                 |                       |
| GHS65-320         | 43.2              | 12.0 | 37.4                   | 1450                        | 7.46                       | 15                  | 59                       | 1.9                        | 80                           | 65              | 110                   |
|                   | 72                | 20.0 | 33                     |                             | 9.66                       | 15                  | 67                       | 2.0                        |                              |                 |                       |
|                   | 86.4              | 24.0 | 29                     |                             | 10.50                      | 15                  | 65                       | 2.5                        |                              |                 |                       |
| GHS65-320A        | 37                | 10.3 | 34.5                   | 1450                        | 6.32                       | 11                  | 55                       | 1.9                        | 80                           | 65              | 110                   |
|                   | 62                | 17.2 | 32                     |                             | 8.31                       | 11                  | 65                       | 2.0                        |                              |                 |                       |
|                   | 74.5              | 20.7 | 28                     |                             | 9.16                       | 11                  | 62                       | 2.3                        |                              |                 |                       |
| GHS65-320B        | 34                | 9.4  | 30.5                   | 1450                        | 6.01                       | 11                  | 47                       | 2.0                        | 80                           | 65              | 110                   |
|                   | 56.5              | 15.7 | 28                     |                             | 7.30                       | 11                  | 59                       | 2.0                        |                              |                 |                       |
|                   | 68                | 18.9 | 25.8                   |                             | 8.10                       | 11                  | 59                       | 2.1                        |                              |                 |                       |
| GHS80-160         | 50                | 13.9 | 10.6                   | 1450                        | 2.31                       | 4                   | 62.5                     | 2.1                        | 100                          | 80              | 54                    |
|                   | 80                | 22.2 | 10                     |                             | 2.87                       | 4                   | 76                       | 2.5                        |                              |                 |                       |
|                   | 96                | 26.7 | 9.3                    |                             | 3.16                       | 4                   | 77                       | 3.2                        |                              |                 |                       |
| GHS80-200         | 63                | 17.5 | 15.7                   | 1450                        | 3.59                       | 7.5                 | 75                       | 2.1                        | 100                          | 80              | 70                    |
|                   | 105.12            | 29.2 | 14                     |                             | 4.89                       | 7.5                 | 82                       | 2.5                        |                              |                 |                       |
|                   | 126               | 35.0 | 12.8                   |                             | 5.63                       | 7.5                 | 78                       | 3.2                        |                              |                 |                       |
| GHS80-260         | 63                | 17.5 | 24                     | 1450                        | 5.88                       | 11                  | 70                       | 2.1                        | 100                          | 80              | 91                    |
|                   | 105.12            | 29.2 | 21                     |                             | 7.91                       | 11                  | 76                       | 2.5                        |                              |                 |                       |
|                   | 126               | 35.0 | 18.5                   |                             | 8.82                       | 11                  | 72                       | 3.2                        |                              |                 |                       |
| GHS80-320         | 60                | 16.7 | 36                     | 1450                        | 9.41                       | 18.5                | 62.5                     | 1.9                        | 100                          | 80              | 120                   |
|                   | 100               | 27.8 | 33                     |                             | 12.66                      | 18.5                | 71                       | 2.0                        |                              |                 |                       |
|                   | 120               | 33.3 | 30                     |                             | 14.11                      | 18.5                | 69.5                     | 2.6                        |                              |                 |                       |
| GHS80-320A        | 57.5              | 16.0 | 34                     | 1450                        | 9.18                       | 15                  | 58                       | 1.9                        | 100                          | 80              | 120                   |
|                   | 95.5              | 26.5 | 29.7                   |                             | 11.19                      | 15                  | 69                       | 2.0                        |                              |                 |                       |
|                   | 114.5             | 31.8 | 26                     |                             | 11.92                      | 15                  | 68                       | 2.3                        |                              |                 |                       |
| GHS80-320B        | 54.5              | 15.1 | 30.4                   | 1450                        | 8.06                       | 15                  | 56                       | 1.9                        | 100                          | 80              | 120                   |
|                   | 91                | 25.3 | 27.3                   |                             | 10.10                      | 15                  | 67                       | 2.0                        |                              |                 |                       |
|                   | 109               | 30.0 | 25                     |                             | 11.24                      | 15                  | 66                       | 2.2                        |                              |                 |                       |
| GHS80-400         | 60                | 16.7 | 59                     | 1450                        | 17.37                      | 30                  | 55.5                     | 2.2                        | 100                          | 80              | 161                   |
|                   | 100               | 27.8 | 55.5                   |                             | 23.08                      | 30                  | 65.5                     | 2.5                        |                              |                 |                       |
|                   | 120               | 33.3 | 52.5                   |                             | 25.80                      | 30                  | 66.5                     | 3.4                        |                              |                 |                       |
| GHS80-400A        | 59                | 16.4 | 55                     | 1450                        | 16.07                      | 30                  | 55                       | 2.2                        | 100                          | 80              | 161                   |
|                   | 96.5              | 26.8 | 52.5                   |                             | 21.56                      | 30                  | 64                       | 2.4                        |                              |                 |                       |
|                   | 116               | 32.2 | 49                     |                             | 24.57                      | 30                  | 63                       | 3.2                        |                              |                 |                       |
| GHS80-400B        | 56                | 15.6 | 51                     | 1450                        | 14.40                      | 30                  | 54                       | 2.2                        | 100                          | 80              | 161                   |
|                   | 93                | 25.8 | 49                     |                             | 18.80                      | 30                  | 66                       | 2.4                        |                              |                 |                       |
|                   | 111.5             | 31.0 | 47                     |                             | 20.99                      | 30                  | 68                       | 3.0                        |                              |                 |                       |
| GHS100-200        | 90                | 25.0 | 15                     | 1450                        | 4.60                       | 11                  | 80                       | 2.2                        | 125                          | 100             | 85                    |
|                   | 142               | 39.4 | 12.7                   |                             | 5.99                       | 11                  | 82                       | 2.5                        |                              |                 |                       |
|                   | 170               | 47.2 | 10.5                   |                             | 6.52                       | 11                  | 74.5                     | 3.4                        |                              |                 |                       |
| GHS100-260        | 99                | 27.5 | 24                     | 1450                        | 8.51                       | 15                  | 76                       | 2.3                        | 125                          | 100             | 115                   |
|                   | 165               | 45.8 | 21                     |                             | 11.58                      | 15                  | 81.5                     | 2.6                        |                              |                 |                       |
|                   | 198               | 55.0 | 19                     |                             | 13.66                      | 15                  | 75                       | 3.5                        |                              |                 |                       |
| GHS100-320        | 81                | 22.5 | 39                     | 1450                        | 11.95                      | 22                  | 72                       | 2.0                        | 125                          | 100             | 134                   |
|                   | 135               | 37.5 | 33.7                   |                             | 15.49                      | 22                  | 80                       | 2.0                        |                              |                 |                       |
|                   | 162               | 45.0 | 30                     |                             | 17.30                      | 22                  | 76.5                     | 2.3                        |                              |                 |                       |
| GHS100-320A       | 77.5              | 21.5 | 34                     | 1450                        | 10.25                      | 22                  | 70                       | 2.0                        | 125                          | 100             | 134                   |
|                   | 130               | 36.1 | 29.5                   |                             | 13.74                      | 22                  | 76                       | 2.0                        |                              |                 |                       |
|                   | 155               | 43.1 | 26.5                   |                             | 15.32                      | 22                  | 73                       | 2.2                        |                              |                 |                       |
| GHS100-320B       | 73.5              | 20.4 | 30                     | 1450                        | 8.96                       | 18.5                | 67                       | 2.0                        | 125                          | 100             | 134                   |
|                   | 123               | 34.2 | 27                     |                             | 11.90                      | 18.5                | 76                       | 2.0                        |                              |                 |                       |
|                   | 147.5             | 41.0 | 23                     |                             | 13.01                      | 18.5                | 71                       | 2.1                        |                              |                 |                       |



## 性能参数 Performance parameters

(4P)

| 泵型号<br>Pump model | 流量<br>Capacity    |       | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-------------------|-------------------|-------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                   | m <sup>3</sup> /h | l/s   |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS100-400        | 90                | 25.0  | 58.8                   | 1450                        | 23.82                      | 45                  | 60.5                     | 1.7                        | 125                          | 100             | 174                   |
|                   | 150               | 41.7  | 51                     |                             | 30.86                      | 45                  | 67.5                     | 2.0                        |                              |                 |                       |
|                   | 180               | 50.0  | 44                     |                             | 33.44                      | 45                  | 64.5                     | 2.7                        |                              |                 |                       |
| GHS100-400A       | 87                | 24.2  | 54                     | 1450                        | 22.85                      | 37                  | 56                       | 1.7                        | 125                          | 100             | 174                   |
|                   | 145               | 40.3  | 48.2                   |                             | 28.84                      | 37                  | 66                       | 2.0                        |                              |                 |                       |
|                   | 174               | 48.3  | 42                     |                             | 29.97                      | 37                  | 66.4                     | 2.5                        |                              |                 |                       |
| GHS100-400B       | 84                | 23.3  | 49.5                   | 1450                        | 20.97                      | 37                  | 54                       | 1.7                        | 125                          | 100             | 174                   |
|                   | 139.5             | 38.8  | 45.2                   |                             | 26.83                      | 37                  | 64                       | 1.9                        |                              |                 |                       |
|                   | 167.5             | 46.5  | 41.2                   |                             | 29.36                      | 37                  | 64                       | 2.4                        |                              |                 |                       |
| GHS125-200        | 115               | 31.9  | 15.2                   | 1450                        | 7.68                       | 11                  | 62                       | 2.6                        | 150                          | 125             | 106                   |
|                   | 190               | 52.8  | 13                     |                             | 8.74                       | 11                  | 77                       | 3.5                        |                              |                 |                       |
|                   | 230               | 63.9  | 11.5                   |                             | 9.42                       | 11                  | 76.5                     | 3.0                        |                              |                 |                       |
| GHS125-260        | 144               | 40.0  | 24.2                   | 1450                        | 12.82                      | 22                  | 74                       | 2.3                        | 150                          | 125             | 106                   |
|                   | 240               | 66.7  | 21.2                   |                             | 17.11                      | 22                  | 81                       | 2.5                        |                              |                 |                       |
|                   | 288               | 80.0  | 17                     |                             | 18.52                      | 22                  | 72                       | 3.2                        |                              |                 |                       |
| GHS125-260A       | 139               | 38.6  | 21.3                   | 1450                        | 11.86                      | 22                  | 68                       | 2.3                        | 150                          | 125             | 106                   |
|                   | 232               | 64.4  | 18.2                   |                             | 14.56                      | 22                  | 79                       | 2.5                        |                              |                 |                       |
|                   | 278.5             | 77.4  | 15.4                   |                             | 15.57                      | 22                  | 75                       | 3.0                        |                              |                 |                       |
| GHS125-260B       | 134               | 37.2  | 19.7                   | 1450                        | 9.71                       | 18.5                | 74                       | 2.3                        | 150                          | 125             | 106                   |
|                   | 223               | 61.9  | 16                     |                             | 12.79                      | 18.5                | 76                       | 2.4                        |                              |                 |                       |
|                   | 267.5             | 74.3  | 13.4                   |                             | 14.36                      | 18.5                | 68                       | 2.8                        |                              |                 |                       |
| GHS125-320        | 120               | 33.3  | 35                     | 1450                        | 16.95                      | 30                  | 67.5                     | 2.1                        | 150                          | 125             | 163                   |
|                   | 200               | 55.6  | 32.5                   |                             | 22.41                      | 30                  | 79                       | 2.0                        |                              |                 |                       |
|                   | 240               | 66.7  | 30                     |                             | 25.14                      | 30                  | 78                       | 2.7                        |                              |                 |                       |
| GHS125-320A       | 115               | 31.9  | 32.8                   | 1450                        | 15.11                      | 30                  | 68                       | 2.15                       | 150                          | 125             | 163                   |
|                   | 191               | 53.1  | 29.5                   |                             | 19.93                      | 30                  | 77                       | 1.95                       |                              |                 |                       |
|                   | 229               | 63.6  | 27.5                   |                             | 22.87                      | 30                  | 75                       | 2.4                        |                              |                 |                       |
| GHS125-320B       | 109               | 30.3  | 28.9                   | 1450                        | 11.83                      | 22                  | 72.5                     | 2.2                        | 150                          | 125             | 163                   |
|                   | 182               | 50.6  | 25.2                   |                             | 16.43                      | 22                  | 76                       | 2.0                        |                              |                 |                       |
|                   | 218.5             | 60.7  | 12.9                   |                             | 10.37                      | 22                  | 74                       | 2.2                        |                              |                 |                       |
| GHS125-400        | 144               | 40.0  | 59.5                   | 1450                        | 30.30                      | 75                  | 77                       | 2.2                        | 150                          | 125             | 101                   |
|                   | 245               | 68.1  | 52                     |                             | 45.35                      | 75                  | 76.5                     | 2.4                        |                              |                 |                       |
|                   | 300               | 83.3  | 45                     |                             | 52.15                      | 75                  | 70.5                     | 3.0                        |                              |                 |                       |
| GHS125-400A       | 139               | 38.6  | 53.5                   | 1450                        | 31.40                      | 55                  | 64.5                     | 2.2                        | 150                          | 125             | 181                   |
|                   | 236.5             | 65.7  | 46                     |                             | 40.04                      | 55                  | 74                       | 2.4                        |                              |                 |                       |
|                   | 289               | 80.3  | 38.5                   |                             | 45.23                      | 55                  | 67                       | 3.0                        |                              |                 |                       |
| GHS125-400B       | 133.5             | 37.1  | 51.2                   | 1450                        | 29.08                      | 55                  | 64                       | 2.2                        | 150                          | 125             | 181                   |
|                   | 227.5             | 63.2  | 40                     |                             | 35.15                      | 55                  | 70.5                     | 2.3                        |                              |                 |                       |
|                   | 278.5             | 77.4  | 32.5                   |                             | 40.41                      | 55                  | 61                       | 2.8                        |                              |                 |                       |
| GHS125-500        | 150               | 41.7  | 83.5                   | 1450                        | 54.14                      | 110                 | 63                       | 2.3                        | 150                          | 125             | 390                   |
|                   | 250               | 69.4  | 78                     |                             | 75.86                      | 110                 | 70                       | 2.5                        |                              |                 |                       |
|                   | 300               | 83.3  | 72                     |                             | 90.50                      | 110                 | 65                       | 2.6                        |                              |                 |                       |
| GHS125-500A       | 135               | 37.5  | 78.5                   | 1450                        | 48.10                      | 75                  | 60                       | 1.8                        | 150                          | 125             | 390                   |
|                   | 225               | 62.5  | 75                     |                             | 62.10                      | 75                  | 74                       | 2.1                        |                              |                 |                       |
|                   | 270               | 75.0  | 71                     |                             | 68.69                      | 75                  | 76                       | 2.5                        |                              |                 |                       |
| GHS125-500B       | 120               | 33.3  | 75                     | 1450                        | 45.39                      | 75                  | 54                       | 1.6                        | 150                          | 125             | 390                   |
|                   | 200               | 55.6  | 72                     |                             | 58.53                      | 75                  | 67                       | 2.0                        |                              |                 |                       |
|                   | 240               | 66.7  | 69                     |                             | 64.43                      | 75                  | 70                       | 2.4                        |                              |                 |                       |
| GHS125-500C       | 90                | 25.0  | 67                     | 1450                        | 32.84                      | 55                  | 50                       | 1.6                        | 150                          | 125             | 309                   |
|                   | 150               | 41.7  | 65.5                   |                             | 41.81                      | 55                  | 64                       | 2.0                        |                              |                 |                       |
|                   | 180               | 50.0  | 62                     |                             | 45.36                      | 55                  | 67                       | 2.4                        |                              |                 |                       |
| GHS150-200        | 216               | 60.0  | 14.4                   | 1450                        | 12.10                      | 18.5                | 70                       | 3.0                        | 200                          | 150             | 156                   |
|                   | 360               | 100.0 | 12.2                   |                             | 14.95                      | 18.5                | 80                       | 3.5                        |                              |                 |                       |
|                   | 424.8             | 118.0 | 10.3                   |                             | 15.47                      | 18.5                | 77                       | 4.0                        |                              |                 |                       |
| GHS150-200A       | 172.8             | 48.0  | 13.4                   | 1450                        | 9.27                       | 15                  | 68                       | 3.1                        | 200                          | 150             | 156                   |
|                   | 288               | 80.0  | 12                     |                             | 12.07                      | 15                  | 78                       | 3.8                        |                              |                 |                       |
|                   | 345.6             | 96.0  | 10.5                   |                             | 13.00                      | 15                  | 76                       | 4.2                        |                              |                 |                       |
| GHS150-260        | 194               | 53.9  | 23.5                   | 1450                        | 16.55                      | 30                  | 75                       | 2.7                        | 200                          | 150             | 148                   |
|                   | 324               | 90.0  | 20.5                   |                             | 22.06                      | 30                  | 82                       | 3.0                        |                              |                 |                       |
|                   | 414               | 115.0 | 16                     |                             | 26.53                      | 30                  | 68                       | 3.3                        |                              |                 |                       |
| GHS150-260A       | 180               | 50.0  | 21.2                   | 1450                        | 14.43                      | 30                  | 72                       | 2.6                        | 200                          | 150             | 148                   |
|                   | 300               | 83.3  | 19                     |                             | 19.53                      | 30                  | 79.5                     | 2.9                        |                              |                 |                       |
|                   | 388.8             | 108.0 | 14.5                   |                             | 22.58                      | 30                  | 68                       | 3.3                        |                              |                 |                       |
| GHS150-260B       | 162               | 45.0  | 19                     | 1450                        | 11.33                      | 22                  | 74                       | 2.6                        | 200                          | 150             | 148                   |
|                   | 270               | 75.0  | 16.5                   |                             | 15.36                      | 22                  | 79                       | 2.8                        |                              |                 |                       |
|                   | 342               | 95.0  | 12.5                   |                             | 17.12                      | 22                  | 68                       | 3.2                        |                              |                 |                       |
| GHS150-320        | 230               | 63.9  | 36.5                   | 1450                        | 30.89                      | 55                  | 74                       | 2.8                        | 200                          | 150             | 170                   |
|                   | 370               | 102.8 | 33                     |                             | 41.05                      | 55                  | 81                       | 3.2                        |                              |                 |                       |
|                   | 445               | 123.6 | 28.5                   |                             | 46.05                      | 55                  | 75                       | 3.6                        |                              |                 |                       |



## 性能参数 Performance parameters

(4P)

| 泵型号<br>Pump model | 流量<br>Capacity    |       | 扬程<br>Head<br>h<br>(m) | 转速<br>Speed<br>n<br>(r/min) | 功率<br>Power                |                     | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr<br>(m) | 泵口径<br>Pump diameter<br>(mm) |                 | 泵重量<br>Weight<br>(kg) |
|-------------------|-------------------|-------|------------------------|-----------------------------|----------------------------|---------------------|--------------------------|----------------------------|------------------------------|-----------------|-----------------------|
|                   | m <sup>3</sup> /h | l/s   |                        |                             | 轴功率<br>Shaft power<br>(kW) | 电机<br>Motor<br>(kW) |                          |                            | 吸入<br>Suction                | 排出<br>Discharge |                       |
| GHS150-320A       | 220               | 61.1  | 33.4                   | 1450                        | 27.79                      | 45                  | 72                       | 2.8                        | 200                          | 150             | 170                   |
|                   | 354               | 98.3  | 29.3                   |                             | 35.76                      | 45                  | 79                       | 3.1                        |                              |                 |                       |
|                   | 426               | 118.3 | 25                     |                             | 39.19                      | 45                  | 74                       | 3.5                        |                              |                 |                       |
| GHS150-320B       | 209.5             | 58.2  | 30                     | 1450                        | 24.11                      | 37                  | 71                       | 2.8                        | 200                          | 150             | 170                   |
|                   | 337.5             | 93.8  | 26                     |                             | 31.04                      | 37                  | 77                       | 3                          |                              |                 |                       |
|                   | 405.5             | 112.6 | 21.9                   |                             | 33.13                      | 37                  | 73                       | 3.3                        |                              |                 |                       |
| GHS150-400        | 240               | 66.7  | 58                     | 1450                        | 50.54                      | 90                  | 75                       | 2.8                        | 200                          | 150             | 209                   |
|                   | 385               | 106.9 | 53.5                   |                             | 66.78                      | 90                  | 84                       | 3.2                        |                              |                 |                       |
|                   | 460               | 127.8 | 49                     |                             | 73.96                      | 90                  | 83                       | 3.6                        |                              |                 |                       |
| GHS150-400A       | 232               | 64.4  | 52                     | 1450                        | 45.63                      | 75                  | 72                       | 2.8                        | 200                          | 150             | 209                   |
|                   | 372               | 103.3 | 47.5                   |                             | 61.69                      | 75                  | 78                       | 3.2                        |                              |                 |                       |
|                   | 444               | 123.3 | 42.5                   |                             | 66.74                      | 75                  | 77                       | 3.6                        |                              |                 |                       |
| GHS150-400B       | 223               | 61.9  | 48                     | 1450                        | 41.64                      | 75                  | 70                       | 2.8                        | 200                          | 150             | 209                   |
|                   | 357.5             | 99.3  | 43.5                   |                             | 55.72                      | 75                  | 76                       | 3.1                        |                              |                 |                       |
|                   | 427.5             | 118.8 | 39                     |                             | 61.36                      | 75                  | 74                       | 3.5                        |                              |                 |                       |
| GHS150-500        | 300               | 83.3  | 86.5                   | 1450                        | 89.5                       | 160                 | 79                       | 3.1                        | 200                          | 150             | 410                   |
|                   | 500               | 138.9 | 77.5                   |                             | 125.6                      | 160                 | 84                       | 3.5                        |                              |                 |                       |
|                   | 600               | 166.7 | 69                     |                             | 139.2                      | 160                 | 81                       | 3.8                        |                              |                 |                       |
| GHS150-500A       | 270               | 75    | 79.5                   | 1450                        | 79.0                       | 132                 | 74                       | 3.0                        | 200                          | 150             | 410                   |
|                   | 450               | 125.0 | 72                     |                             | 110.3                      | 132                 | 80                       | 3.4                        |                              |                 |                       |
|                   | 540               | 150.0 | 63                     |                             | 120.3                      | 132                 | 77                       | 3.6                        |                              |                 |                       |
| GHS150-500B       | 240               | 66.7  | 75.5                   | 1450                        | 71.5                       | 132                 | 69                       | 2.8                        | 200                          | 150             | 410                   |
|                   | 400               | 111.1 | 70                     |                             | 96.5                       | 132                 | 79                       | 3.2                        |                              |                 |                       |
|                   | 480               | 133.3 | 65                     |                             | 108.9                      | 132                 | 78                       | 3.5                        |                              |                 |                       |
| GHS150-500C       | 210               | 58.3  | 68                     | 1450                        | 58.0                       | 110                 | 67                       | 2.6                        | 200                          | 150             | 410                   |
|                   | 350               | 97.2  | 63                     |                             | 78.0                       | 110                 | 77                       | 3.0                        |                              |                 |                       |
|                   | 420               | 116.7 | 60.5                   |                             | 91.1                       | 110                 | 76                       | 3.3                        |                              |                 |                       |
| GHS200-260        | 259.2             | 72.0  | 19.5                   | 1450                        | 18.86                      | 30                  | 73                       | 3.0                        | 200                          | 150             | 256                   |
|                   | 432               | 120.0 | 15.2                   |                             | 21.81                      | 30                  | 82                       | 3.2                        |                              |                 |                       |
|                   | 518.4             | 144.0 | 12                     |                             | 22.89                      | 30                  | 74                       | 3.3                        |                              |                 |                       |
| GHS200-260A       | 248.4             | 69.0  | 18                     | 1450                        | 16.91                      | 22                  | 72                       | 2.9                        | 200                          | 150             | 256                   |
|                   | 414               | 115.0 | 14                     |                             | 19.49                      | 22                  | 81                       | 3.1                        |                              |                 |                       |
|                   | 496.8             | 138.0 | 10.5                   |                             | 19.73                      | 22                  | 72                       | 3.2                        |                              |                 |                       |
| GHS200-260B       | 237.6             | 66.0  | 15                     | 1450                        | 13.87                      | 18.5                | 70                       | 2.8                        | 200                          | 150             | 256                   |
|                   | 396               | 110.0 | 12                     |                             | 16.18                      | 18.5                | 80                       | 3.0                        |                              |                 |                       |
|                   | 475.2             | 132.0 | 9.7                    |                             | 17.93                      | 18.5                | 70                       | 3.1                        |                              |                 |                       |
| GHS200-320        | 345               | 95.8  | 35                     | 1450                        | 45.36                      | 75                  | 72.5                     | 3.2                        | 250                          | 200             | 310                   |
|                   | 575               | 159.7 | 30                     |                             | 56.26                      | 75                  | 83.5                     | 3.3                        |                              |                 |                       |
|                   | 690               | 191.7 | 25.5                   |                             | 60.27                      | 75                  | 79.5                     | 3.4                        |                              |                 |                       |
| GHS200-320A       | 324               | 90.0  | 30                     | 1450                        | 37.28                      | 55                  | 71                       | 3.1                        | 250                          | 200             | 310                   |
|                   | 540               | 150.0 | 25.5                   |                             | 45.18                      | 55                  | 83                       | 3.2                        |                              |                 |                       |
|                   | 648               | 180.0 | 21                     |                             | 47.51                      | 55                  | 78                       | 3.3                        |                              |                 |                       |
| GHS200-320B       | 302.4             | 84.0  | 26.5                   | 1450                        | 32.33                      | 45                  | 67.5                     | 3.0                        | 250                          | 200             | 310                   |
|                   | 504               | 140.0 | 22                     |                             | 36.82                      | 45                  | 82                       | 3.1                        |                              |                 |                       |
|                   | 604.8             | 168.0 | 18.3                   |                             | 38.89                      | 45                  | 77.5                     | 3.2                        |                              |                 |                       |
| GHS200-400        | 390               | 108.3 | 59.5                   | 1450                        | 85.40                      | 132                 | 74                       | 3.0                        | 250                          | 200             | 345                   |
|                   | 650               | 180.6 | 53.5                   |                             | 112.74                     | 132                 | 84                       | 3.8                        |                              |                 |                       |
|                   | 780               | 216.7 | 48.5                   |                             | 125.64                     | 132                 | 82                       | 4.5                        |                              |                 |                       |
| GHS200-400A       | 360               | 100.0 | 52.5                   | 1450                        | 73.53                      | 110                 | 70                       | 2.9                        | 250                          | 200             | 345                   |
|                   | 600               | 166.7 | 46.5                   |                             | 93.80                      | 110                 | 81                       | 3.6                        |                              |                 |                       |
|                   | 720               | 200.0 | 41.5                   |                             | 101.72                     | 110                 | 80                       | 4.4                        |                              |                 |                       |
| GHS200-400B       | 330               | 91.7  | 41.5                   | 1450                        | 54.05                      | 90                  | 69                       | 2.8                        | 250                          | 200             | 345                   |
|                   | 550               | 152.8 | 36                     |                             | 66.57                      | 90                  | 81                       | 3.5                        |                              |                 |                       |
|                   | 660               | 183.3 | 31                     |                             | 71.43                      | 90                  | 78                       | 4.2                        |                              |                 |                       |
| GHS200-500        | 330               | 91.7  | 90                     | 1450                        | 118.94                     | 250                 | 68                       | 3.2                        | 250                          | 200             | 510                   |
|                   | 550               | 152.8 | 87                     |                             | 160.88                     | 250                 | 81                       | 4.0                        |                              |                 |                       |
|                   | 660               | 183.3 | 84.5                   |                             | 189.85                     | 250                 | 80                       | 4.8                        |                              |                 |                       |
| GHS200-500A       | 300               | 83.3  | 82.5                   | 1450                        | 97.68                      | 200                 | 69                       | 3.0                        | 250                          | 200             | 510                   |
|                   | 500               | 138.9 | 80                     |                             | 132.04                     | 200                 | 82.5                     | 3.8                        |                              |                 |                       |
|                   | 600               | 166.7 | 77.5                   |                             | 150.75                     | 200                 | 84                       | 4.5                        |                              |                 |                       |
| GHS200-500B       | 270               | 75.0  | 73                     | 1450                        | 85.20                      | 160                 | 63                       | 2.8                        | 250                          | 200             | 510                   |
|                   | 450               | 125.0 | 71.5                   |                             | 112.34                     | 160                 | 78                       | 3.6                        |                              |                 |                       |
|                   | 540               | 150.0 | 69                     |                             | 126.84                     | 160                 | 80                       | 4.2                        |                              |                 |                       |
| GHS250-320        | 522               | 145.0 | 32                     | 1450                        | 65.93                      | 90                  | 69                       | 3.0                        | 300                          | 250             | 375                   |
|                   | 870               | 241.7 | 27.5                   |                             | 78.03                      | 90                  | 83.5                     | 4.8                        |                              |                 |                       |
|                   | 1044              | 290.0 | 24                     |                             | 83.21                      | 90                  | 82                       | 6.5                        |                              |                 |                       |
| GHS250-320A       | 480               | 133.3 | 29.5                   | 1450                        | 61.21                      | 90                  | 63                       | 2.8                        | 300                          | 250             | 375                   |
|                   | 800               | 222.2 | 25.5                   |                             | 67.75                      | 90                  | 82                       | 4.5                        |                              |                 |                       |
|                   | 960               | 266.7 | 22.5                   |                             | 70.45                      | 90                  | 83.5                     | 6.2                        |                              |                 |                       |






## 性能参数 Performance parameters

(4P)

| 泵型号<br>Pump model | 流量<br>Capacity    |       | 扬程<br>Head<br>h (m) | 转速<br>Speed<br>n (r/min) | 功率<br>Power             |                  | 效率<br>Eff.<br>$\eta$ (%) | 必需汽<br>蚀余量<br>NPSHr (m) | 泵口径<br>Pump diameter (mm) |                 | 泵重量<br>Weight (kg) |
|-------------------|-------------------|-------|---------------------|--------------------------|-------------------------|------------------|--------------------------|-------------------------|---------------------------|-----------------|--------------------|
|                   | m <sup>3</sup> /h | l/s   |                     |                          | 轴功率<br>Shaft power (kW) | 电机<br>Motor (kW) |                          |                         | 吸入<br>Suction             | 排出<br>Discharge |                    |
| GHS250-320B       | 450               | 125.0 | 28                  | 1450                     | 55.34                   | 75               | 62                       | 2.5                     | 300                       | 250             | 375                |
|                   | 750               | 208.3 | 24.5                |                          | 61.78                   | 75               | 81                       | 4.2                     |                           |                 |                    |
|                   | 900               | 250.0 | 22                  |                          | 65.76                   | 75               | 82                       | 6.0                     |                           |                 |                    |
| GHS250-320C       | 432               | 120.0 | 23.5                | 1450                     | 45.32                   | 75               | 61                       | 2.4                     | 300                       | 250             | 375                |
|                   | 720               | 200.0 | 20                  |                          | 49.02                   | 75               | 80                       | 4.0                     |                           |                 |                    |
|                   | 864               | 240.0 | 17.5                |                          | 54.18                   | 75               | 76                       | 5.8                     |                           |                 |                    |
| GHS250-400        | 550               | 152.8 | 56.5                | 1450                     | 112.09                  | 200              | 75.5                     | 3.0                     | 300                       | 250             | 455                |
|                   | 760               | 211.1 | 54                  |                          | 131.49                  | 200              | 85                       | 3.5                     |                           |                 |                    |
|                   | 950               | 263.9 | 48.5                |                          | 151.18                  | 200              | 83                       | 4.5                     |                           |                 |                    |
| GHS250-400A       | 360               | 100.0 | 45                  | 1450                     | 71.16                   | 110              | 62                       | 2.6                     | 300                       | 250             | 455                |
|                   | 600               | 166.7 | 43                  |                          | 87.83                   | 110              | 80                       | 3.2                     |                           |                 |                    |
|                   | 720               | 200.0 | 40.5                |                          | 95.68                   | 110              | 83                       | 4.2                     |                           |                 |                    |
| GHS250-400B       | 300               | 83.3  | 35                  | 1450                     | 51.52                   | 75               | 55.5                     | 2.3                     | 300                       | 250             | 455                |
|                   | 500               | 138.9 | 33                  |                          | 59.91                   | 75               | 75                       | 3.0                     |                           |                 |                    |
|                   | 600               | 166.7 | 31                  |                          | 64.12                   | 75               | 79                       | 4.0                     |                           |                 |                    |
| GHS250-500        | 534               | 148.3 | 85.5                | 1450                     | 177.63                  | 315              | 70                       | 3.0                     | 300                       | 250             | 630                |
|                   | 890               | 247.2 | 80                  |                          | 236.46                  | 315              | 82                       | 5.0                     |                           |                 |                    |
|                   | 1068              | 296.7 | 74                  |                          | 265.71                  | 315              | 81                       | 7.0                     |                           |                 |                    |
| GHS250-500A       | 480               | 133.3 | 76                  | 1450                     | 148.28                  | 250              | 67                       | 2.8                     | 300                       | 250             | 630                |
|                   | 800               | 222.2 | 70.5                |                          | 191.99                  | 250              | 80                       | 4.6                     |                           |                 |                    |
|                   | 960               | 266.7 | 65.5                |                          | 214.05                  | 250              | 80                       | 6.7                     |                           |                 |                    |
| GHS250-500B       | 450               | 125.0 | 68                  | 1450                     | 128.21                  | 200              | 65                       | 2.6                     | 300                       | 250             | 630                |
|                   | 750               | 208.3 | 63                  |                          | 163.92                  | 200              | 78.5                     | 4.4                     |                           |                 |                    |
|                   | 900               | 250.0 | 58.4                |                          | 181.19                  | 200              | 79                       | 6.5                     |                           |                 |                    |
| GHS300-400        | 831.6             | 231.0 | 52                  | 1450                     | 168.24                  | 250              | 70                       | 5.0                     | 350                       | 300             | 700                |
|                   | 1386              | 385.0 | 46.5                |                          | 204.09                  | 250              | 86                       | 7.0                     |                           |                 |                    |
|                   | 1663.2            | 462.0 | 42                  |                          | 217.41                  | 250              | 87.5                     | 8.0                     |                           |                 |                    |
| GHS300-400A       | 720               | 200.0 | 45                  | 1450                     | 135.75                  | 200              | 65                       | 4.8                     | 350                       | 300             | 700                |
|                   | 1200              | 333.3 | 40.5                |                          | 163.40                  | 200              | 81                       | 6.5                     |                           |                 |                    |
|                   | 1440              | 400.0 | 37                  |                          | 176.95                  | 200              | 82                       | 7.5                     |                           |                 |                    |
| GHS300-400B       | 594               | 165.0 | 38.5                | 1450                     | 114.27                  | 160              | 54.5                     | 4.5                     | 350                       | 300             | 700                |
|                   | 990               | 275.0 | 35                  |                          | 127.52                  | 160              | 74                       | 6.0                     |                           |                 |                    |
|                   | 1188              | 330.0 | 32.5                |                          | 133.10                  | 160              | 79                       | 7.0                     |                           |                 |                    |

## 整机外形尺寸 Outline dimensions



## 外形及安装尺寸表 Installation dimensions

本表仅适用于配钢制底座

This chart is apply to the pump with steel base.

| 泵型号<br>Pump<br>model | 配套电机<br>Motor      |            | 泵安装尺寸<br>Installation size of pump |      |     |     |      |     |     |     |     |     |     |   |    |     | 吸入锥管<br>Suction pipe |      |      |       | 吐出锥管<br>Discharge pipe |      |      |       | 总重量<br>Total<br>weight<br>(kg) |
|----------------------|--------------------|------------|------------------------------------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|---|----|-----|----------------------|------|------|-------|------------------------|------|------|-------|--------------------------------|
|                      | 机座号<br>Base number | 功率<br>(kW) | a                                  | L    | L1  | L2  | L3   | L4  | L5  | B1  | B2  | H1  | H   | c | b  | d   | Dg1                  | Dk1  | D1   | n-d1  | Dg2                    | Dk2  | D2   | n-d2  |                                |
| GHS32-130            | Y90L-2             | 2.2        | 80                                 | 782  | 57  | 450 | 703  | 127 | 340 | 225 | 225 | 187 | 327 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 79                             |
|                      | Y90S-2             | 1.5        | 80                                 | 757  | 57  | 450 | 678  | 127 | 315 | 225 | 225 | 187 | 327 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 79                             |
|                      | Y80L-4             | 0.55       | 80                                 | 722  | 37  | 430 | 657  | 107 | 280 | 225 | 225 | 187 | 327 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 70                             |
| GHS32-160            | Y132S1-2           | 5.5        | 80                                 | 907  | 77  | 500 | 786  | 147 | 465 | 285 | 285 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 131                            |
|                      | Y112M-2            | 4          | 80                                 | 842  | 67  | 450 | 742  | 137 | 400 | 255 | 255 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 108                            |
|                      | Y80L-4             | 0.55       | 80                                 | 842  | 37  | 430 | 657  | 107 | 400 | 255 | 255 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 78                             |
| GHS32-200            | Y160M1-2           | 11         | 80                                 | 1042 | 88  | 580 | 905  | 158 | 600 | 325 | 325 | 235 | 415 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 206                            |
|                      | Y132S2-2           | 7.5        | 80                                 | 907  | 61  | 500 | 786  | 131 | 465 | 285 | 285 | 235 | 415 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 145                            |
|                      | Y90S-4             | 1.1        | 80                                 | 757  | 51  | 450 | 678  | 121 | 315 | 285 | 285 | 235 | 415 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 94                             |
| GHS32-260            | Y160L-2            | 18.5       | 100                                | 1102 | 114 | 580 | 960  | 197 | 640 | 325 | 325 | 275 | 500 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 251                            |
|                      | Y160M2-2           | 15         | 100                                | 1062 | 114 | 580 | 918  | 197 | 600 | 325 | 325 | 275 | 500 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø50                    | Ø125 | Ø165 | 4-Ø18 | 237                            |
|                      | Y100L2-4           | 3          | 100                                | 837  | 73  | 450 | 745  | 156 | 375 | 315 | 315 | 255 | 480 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 129                            |
| GHS40-130            | Y112M-2            | 4          | 80                                 | 842  | 83  | 450 | 742  | 153 | 400 | 255 | 255 | 187 | 327 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 101                            |
|                      | Y100L-2            | 3          | 80                                 | 817  | 67  | 450 | 733  | 137 | 375 | 225 | 225 | 187 | 327 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 90                             |
|                      | Y80L-4             | 0.55       | 80                                 | 722  | 37  | 430 | 657  | 107 | 280 | 225 | 225 | 187 | 327 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 72                             |
| GHS40-160            | Y132S2-2           | 7.5        | 80                                 | 907  | 77  | 500 | 786  | 147 | 465 | 285 | 285 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 137                            |
|                      | Y132S1-2           | 5.5        | 80                                 | 907  | 77  | 500 | 786  | 147 | 465 | 285 | 285 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 132                            |
|                      | Y112M-2            | 4          | 80                                 | 842  | 67  | 450 | 742  | 137 | 400 | 255 | 255 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 109                            |
|                      | Y90S-4             | 1.1        | 80                                 | 757  | 57  | 450 | 678  | 127 | 315 | 255 | 255 | 207 | 367 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 85                             |
| GHS40-200            | Y160M1-2           | 11         | 100                                | 1062 | 88  | 580 | 905  | 158 | 600 | 325 | 325 | 255 | 435 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 210                            |
|                      | Y90L-4             | 1.5        | 100                                | 802  | 51  | 450 | 703  | 121 | 340 | 285 | 285 | 235 | 415 | 2 | 12 | Ø19 | /                    | /    | /    | /     | /                      | /    | /    | /     | 103                            |
| GHS40-260            | Y180M-2            | 22         | 100                                | 1152 | 121 | 580 | 971  | 204 | 690 | 350 | 350 | 275 | 500 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 286                            |
|                      | Y160L-2            | 18.5       | 100                                | 1102 | 114 | 580 | 960  | 197 | 640 | 325 | 325 | 275 | 500 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 253                            |
|                      | Y100L2-4           | 3          | 100                                | 837  | 73  | 450 | 745  | 156 | 375 | 315 | 315 | 255 | 480 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 131                            |
| GHS40-320            | Y200L2-2           | 37         | 125                                | 1357 | 120 | 750 | 1155 | 203 | 760 | 395 | 395 | 342 | 567 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 413                            |
|                      | Y200L1-2           | 30         | 125                                | 1357 | 120 | 750 | 1155 | 203 | 760 | 395 | 395 | 342 | 567 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 394                            |
|                      | Y180M-2            | 22         | 125                                | 1287 | 114 | 680 | 1081 | 197 | 690 | 350 | 350 | 315 | 540 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 350                            |
|                      | Y132S-4            | 5.5        | 125                                | 1062 | 105 | 580 | 909  | 188 | 465 | 350 | 350 | 295 | 520 | 2 | 12 | Ø19 | /                    | /    | /    | /     | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 214                            |
| GHS50-130            | Y132S2-2           | 7.5        | 100                                | 927  | 77  | 500 | 786  | 147 | 465 | 285 | 285 | 207 | 367 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 135                            |
|                      | Y132S1-2           | 5.5        | 100                                | 927  | 77  | 500 | 786  | 147 | 465 | 285 | 285 | 207 | 367 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 130                            |
|                      | Y90S-4             | 1.1        | 100                                | 777  | 57  | 450 | 678  | 127 | 315 | 255 | 255 | 207 | 367 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 83                             |
| GHS50-160            | Y160M1-2           | 11         | 100                                | 1062 | 88  | 580 | 905  | 158 | 600 | 325 | 325 | 255 | 435 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 204                            |
|                      | Y132S2-2           | 7.5        | 100                                | 927  | 77  | 580 | 786  | 147 | 465 | 285 | 285 | 255 | 435 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 143                            |
|                      | Y90L-4             | 1.5        | 100                                | 802  | 51  | 450 | 703  | 121 | 340 | 285 | 285 | 235 | 415 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 97                             |
| GHS50-200            | Y160L-2            | 18.5       | 100                                | 1102 | 88  | 580 | 947  | 158 | 640 | 325 | 325 | 255 | 455 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 236                            |
|                      | Y160M2-2           | 15         | 100                                | 1062 | 88  | 580 | 905  | 158 | 600 | 325 | 325 | 255 | 455 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 222                            |
|                      | Y100L1-4           | 2.2        | 100                                | 837  | 69  | 450 | 733  | 139 | 375 | 285 | 285 | 235 | 435 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 111                            |
| GHS50-260            | Y200L2-2           | 37         | 100                                | 1222 | 137 | 630 | 1045 | 220 | 760 | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 386                            |
|                      | Y200L1-2           | 30         | 100                                | 1222 | 137 | 630 | 1045 | 220 | 760 | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 370                            |
|                      | Y132S-4            | 5.5        | 100                                | 927  | 94  | 500 | 799  | 177 | 465 | 315 | 315 | 255 | 480 | 2 | 12 | Ø19 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 164                            |
| GHS50-260G           | Y200L2-2           | 37         | 100                                | 1316 | 129 | 700 | 1139 | 212 | 760 | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 402                            |
|                      | Y200L1-2           | 30         | 100                                | 1316 | 129 | 700 | 1139 | 212 | 760 | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 386                            |
| GHS50-320            | Y280S-2            | 75         | 125                                | 1582 | 158 | 820 | 1339 | 241 | 985 | 540 | 540 | 465 | 745 | 2 | 16 | Ø28 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 793                            |
|                      | Y225M-2            | 45         | 125                                | 1402 | 138 | 750 | 1192 | 221 | 805 | 420 | 420 | 385 | 665 | 2 | 16 | Ø28 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 618                            |
|                      | Y160M-4            | 11         | 125                                | 1197 | 94  | 680 | 1028 | 177 | 600 | 395 | 395 | 340 | 620 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 293                            |
|                      | Y132M-4            | 7.5        | 125                                | 1102 | 79  | 680 | 948  | 162 | 505 | 395 | 395 | 340 | 620 | 2 | 16 | Ø24 | Ø80                  | Ø160 | Ø200 | 8-Ø18 | Ø65                    | Ø145 | Ø185 | 4-Ø18 | 246                            |
| GHS65-130            | Y160M1-2           | 11         | 100                                | 1062 | 88  | 580 | 918  | 171 | 600 | 325 | 325 | 255 | 435 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18 | Ø100                   | Ø180 | Ø220 | 8-Ø18 | 205                            |
|                      | Y132S2-2           | 7.5        | 100                                | 927  | 61  | 500 | 799  | 144 | 465 | 285 | 285 | 235 | 415 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18 | Ø100                   | Ø180 | Ø220 | 8-Ø18 | 144                            |
|                      | Y90L-4             | 1.5        | 100                                | 802  | 51  | 450 | 716  | 134 | 340 | 285 | 285 | 235 | 415 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18 | Ø80                    | Ø160 | Ø200 | 8-Ø18 | 98                             |
| GHS65-160            | Y160L-2            | 18.5       | 100                                | 1102 | 88  | 580 | 960  | 171 | 640 | 325 | 325 | 255 | 455 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18 | Ø100                   | Ø180 | Ø220 | 8-Ø18 | 233                            |
|                      | Y160M2-2           | 15         | 100                                | 1062 | 88  | 580 | 918  | 171 | 600 | 325 | 325 | 255 | 455 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18 | Ø100                   | Ø180 | Ø220 | 8-Ø18 | 219                            |



# 外形及安装尺寸表 Installation dimensions

本表仅适用于配钢制底座

This chart is apply to the pump with steel base.

| 泵型号<br>Pump model | 配套电机<br>Motor      |            | 泵安装尺寸<br>Installation size of pump |      |     |     |      |     |      |     |     |     |     |   |    |     | 吸入锥管<br>Suction pipe |      |      |        | 吐出锥管<br>Discharge pipe |      |      |        | 总重量<br>Total weight (kg) |
|-------------------|--------------------|------------|------------------------------------|------|-----|-----|------|-----|------|-----|-----|-----|-----|---|----|-----|----------------------|------|------|--------|------------------------|------|------|--------|--------------------------|
|                   | 机座号<br>Base number | 功率<br>(kW) | a                                  | L    | L1  | L2  | L3   | L4  | L5   | B1  | B2  | H1  | H   | c | b  | d   | Dg1                  | Dk1  | D1   | n-d1   | Dg2                    | Dk2  | D2   | n-d2   |                          |
| GHS65-160         | Y160M1-2           | 11         | 100                                | 1062 | 88  | 580 | 918  | 171 | 600  | 325 | 325 | 255 | 455 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 209                      |
|                   | Y100L1-4           | 2.2        | 100                                | 837  | 69  | 450 | 745  | 152 | 375  | 285 | 285 | 235 | 435 | 2 | 12 | Ø19 | Ø100                 | Ø180 | Ø220 | 8-Ø18  | Ø80                    | Ø160 | Ø200 | 8-Ø18  | 108                      |
| GHS65-200         | Y200L1-2           | 30         | 100                                | 1222 | 137 | 630 | 1045 | 220 | 760  | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 373                      |
|                   | Y180M-2            | 22         | 100                                | 1152 | 117 | 630 | 971  | 200 | 690  | 350 | 350 | 275 | 500 | 2 | 12 | Ø19 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 295                      |
|                   | Y112M-4            | 4          | 100                                | 862  | 73  | 450 | 745  | 156 | 400  | 315 | 315 | 255 | 480 | 2 | 12 | Ø19 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø80                    | Ø160 | Ø200 | 8-Ø18  | 137                      |
| GHS65-200G        | Y200L1-2           | 30         | 100                                | 1316 | 130 | 700 | 1139 | 213 | 760  | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 388                      |
| GHS65-260         | Y250M-2            | 55         | 100                                | 1482 | 162 | 800 | 1302 | 262 | 910  | 495 | 495 | 393 | 643 | 2 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 584                      |
|                   | Y225M-2            | 45         | 100                                | 1377 | 140 | 750 | 1209 | 240 | 805  | 430 | 430 | 340 | 590 | 2 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 479                      |
|                   | Y132M-4            | 7.5        | 100                                | 1077 | 105 | 580 | 965  | 205 | 505  | 350 | 350 | 295 | 545 | 2 | 12 | Ø19 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø80                    | Ø160 | Ø200 | 8-Ø18  | 212                      |
| GHS65-320         | Y315S-2            | 110        | 125                                | 1787 | 190 | 850 | 1441 | 290 | 1190 | 395 | 620 | 500 | 780 | 2 | 16 | Ø28 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 1296                     |
|                   | Y280M-2            | 90         | 125                                | 1632 | 190 | 800 | 1407 | 290 | 1035 | 395 | 540 | 465 | 745 | 2 | 16 | Ø28 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 925                      |
|                   | Y280S-2            | 75         | 125                                | 1582 | 150 | 750 | 1356 | 250 | 985  | 395 | 540 | 465 | 745 | 2 | 16 | Ø28 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 845                      |
|                   | Y160L-4            | 15         | 125                                | 1237 | 94  | 680 | 1087 | 194 | 640  | 395 | 395 | 340 | 620 | 2 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø80                    | Ø160 | Ø200 | 8-Ø18  | 315                      |
|                   | Y160M-4            | 11         | 125                                | 1197 | 94  | 680 | 1045 | 194 | 600  | 395 | 395 | 340 | 620 | 2 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø80                    | Ø160 | Ø200 | 8-Ø18  | 302                      |
| GHS80-160         | Y200L1-2           | 30         | 125                                | 1247 | 137 | 630 | 1045 | 220 | 760  | 395 | 395 | 315 | 540 | 2 | 16 | Ø24 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 357                      |
|                   | Y180M-2            | 22         | 125                                | 1177 | 121 | 580 | 971  | 204 | 690  | 350 | 350 | 275 | 500 | 2 | 12 | Ø19 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 279                      |
|                   | Y160L-2            | 18.5       | 125                                | 1127 | 114 | 580 | 960  | 197 | 640  | 325 | 325 | 275 | 500 | 2 | 12 | Ø19 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 246                      |
|                   | Y112M-4            | 4          | 125                                | 887  | 73  | 450 | 755  | 155 | 400  | 315 | 315 | 272 | 497 | 2 | 12 | Ø19 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 124                      |
| GHS80-200         | Y225M-2            | 45         | 125                                | 1402 | 158 | 750 | 1192 | 241 | 805  | 430 | 430 | 340 | 590 | 2 | 16 | Ø24 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 462                      |
|                   | Y200L2-2           | 37         | 125                                | 1357 | 144 | 700 | 1155 | 227 | 760  | 395 | 395 | 315 | 565 | 2 | 12 | Ø24 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 397                      |
|                   | Y132M-4            | 7.5        | 125                                | 1102 | 113 | 550 | 948  | 196 | 505  | 350 | 350 | 275 | 525 | 2 | 12 | Ø19 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 197                      |
| GHS80-260         | Y280S-2            | 75         | 125                                | 1582 | 160 | 850 | 1356 | 260 | 985  | 410 | 555 | 440 | 720 | 2 | 16 | Ø28 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 758                      |
|                   | Y250M-2            | 55         | 125                                | 1507 | 160 | 780 | 1302 | 260 | 910  | 475 | 475 | 410 | 690 | 2 | 16 | Ø28 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 594                      |
|                   | Y160M-4            | 11         | 125                                | 1197 | 120 | 630 | 1045 | 220 | 600  | 395 | 395 | 315 | 595 | 2 | 16 | Ø24 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 279                      |
| GHS80-320         | Y315S-2            | 110        | 125                                | 1787 | 190 | 850 | 1441 | 290 | 1190 | 395 | 620 | 500 | 815 | 2 | 16 | Ø28 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 1342                     |
|                   | Y280M-2            | 90         | 125                                | 1632 | 190 | 800 | 1407 | 290 | 1035 | 395 | 540 | 465 | 780 | 2 | 16 | Ø28 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 958                      |
|                   | Y180M-4            | 18.5       | 125                                | 1288 | 104 | 750 | 1100 | 204 | 690  | 395 | 395 | 365 | 680 | 3 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 370                      |
|                   | Y160L-4            | 15         | 125                                | 1238 | 104 | 750 | 1088 | 204 | 640  | 395 | 395 | 365 | 680 | 3 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 327                      |
|                   | Y160M-4            | 11         | 125                                | 1198 | 104 | 750 | 1046 | 204 | 600  | 395 | 395 | 365 | 680 | 3 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 307                      |
| GHS80-400         | Y200L-4            | 30         | 125                                | 1408 | 140 | 780 | 1224 | 240 | 760  | 420 | 420 | 421 | 776 | 3 | 16 | Ø24 | Ø125                 | Ø210 | Ø250 | 8-Ø18  | Ø100                   | Ø180 | Ø220 | 8-Ø18  | 504                      |
| GHS100-200        | Y280S-2            | 75         | 125                                | 2300 | 160 | 850 | 2124 | 260 | 985  | 410 | 555 | 440 | 720 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 752                      |
|                   | Y250M-2            | 55         | 125                                | 1508 | 160 | 800 | 1353 | 260 | 910  | 495 | 495 | 396 | 676 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 588                      |
|                   | Y225M-2            | 45         | 125                                | 1403 | 160 | 750 | 1260 | 260 | 805  | 430 | 430 | 340 | 620 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 483                      |
|                   | Y160M-4            | 11         | 125                                | 1198 | 120 | 630 | 1096 | 220 | 600  | 395 | 395 | 315 | 595 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 273                      |
| GHS100-260        | Y315S-2            | 110        | 140                                | 1803 | 190 | 870 | 1442 | 290 | 1190 | 410 | 620 | 500 | 780 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 1146                     |
|                   | Y280M-2            | 90         | 140                                | 1648 | 172 | 870 | 1408 | 272 | 1035 | 410 | 550 | 465 | 745 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 857                      |
|                   | Y160L-4            | 15         | 140                                | 1253 | 94  | 680 | 1088 | 194 | 640  | 395 | 395 | 340 | 620 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 311                      |
| GHS100-260G       | Y315S-2            | 110        | 140                                | 1853 | 200 | 870 | 1492 | 300 | 1190 | 410 | 620 | 500 | 780 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 1161                     |
|                   | Y280M-2            | 90         | 140                                | 1698 | 200 | 870 | 1458 | 300 | 1035 | 410 | 550 | 465 | 745 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 870                      |
| GHS100-320        | Y180L-4            | 22         | 140                                | 1343 | 104 | 750 | 1139 | 204 | 730  | 395 | 395 | 365 | 680 | 3 | 16 | Ø24 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 402                      |
|                   | Y180M-4            | 18.5       | 140                                | 1303 | 104 | 750 | 1100 | 204 | 690  | 395 | 395 | 365 | 680 | 3 | 16 | Ø24 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 384                      |
| GHS100-400        | Y225M-4            | 45         | 140                                | 1508 | 140 | 820 | 1320 | 260 | 835  | 540 | 540 | 440 | 795 | 3 | 16 | Ø28 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 630                      |
|                   | Y225S-4            | 37         | 140                                | 1483 | 140 | 820 | 1295 | 260 | 810  | 540 | 540 | 440 | 795 | 3 | 16 | Ø28 | Ø150                 | Ø240 | Ø285 | 8-Ø22  | Ø125                   | Ø210 | Ø250 | 8-Ø18  | 595                      |
| GHS125-200        | Y280M-2            | 90         | 140                                | 1648 | 184 | 880 | 1408 | 284 | 1035 | 410 | 550 | 440 | 755 | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 865                      |
|                   | Y160M-4            | 11         | 140                                | 1213 | 104 | 750 | 1046 | 204 | 600  | 395 | 395 | 365 | 680 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 300                      |
| GHS125-260        | Y180L-4            | 22         | 140                                | 1343 | 104 | 750 | 1139 | 204 | 730  | 395 | 395 | 365 | 720 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 383                      |
|                   | Y180M-4            | 18.5       | 140                                | 1303 | 104 | 750 | 1100 | 204 | 690  | 395 | 395 | 365 | 720 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 365                      |
| GHS125-320        | Y200L-4            | 30         | 140                                | 1433 | 119 | 800 | 1254 | 239 | 760  | 490 | 490 | 421 | 776 | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 516                      |



## 外形及安装尺寸表 Installation dimensions

本表仅适用于配钢制底座

This chart is apply to the pump with steel base.

| 泵型号<br>Pump<br>model | 配套电机<br>Motor      |            | 泵安装尺寸<br>Installation size of pump |      |     |      |      |     |      |     |     |     |      |   |    |     | 吸入锥管<br>Suction pipe |      |      |        | 吐出锥管<br>Discharge pipe |      |      |        | 总重量<br>Total<br>weight<br>(kg) |
|----------------------|--------------------|------------|------------------------------------|------|-----|------|------|-----|------|-----|-----|-----|------|---|----|-----|----------------------|------|------|--------|------------------------|------|------|--------|--------------------------------|
|                      | 机座号<br>Base number | 功率<br>(kW) | a                                  | L    | L1  | L2   | L3   | L4  | L5   | B1  | B2  | H1  | H    | c | b  | d   | Dg1                  | Dk1  | D1   | n-d1   | Dg2                    | Dk2  | D2   | n-d2   |                                |
| GHS125-320           | Y180L-4            | 22         | 140                                | 1403 | 117 | 780  | 1219 | 237 | 730  | 490 | 365 | 421 | 776  | 3 | 16 | Ø24 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 449                            |
| GHS125-400           | Y280S-4            | 75         | 140                                | 1658 | 190 | 910  | 1437 | 310 | 985  | 550 | 550 | 475 | 875  | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 891                            |
|                      | Y250M-4            | 55         | 140                                | 1583 | 150 | 870  | 1383 | 270 | 910  | 490 | 490 | 475 | 875  | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 726                            |
| GHS125-500           | Y315S-4            | 110        | 160                                | 2053 | 230 | 910  | 1692 | 350 | 1220 | 620 | 620 | 560 | 1060 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 1521                           |
|                      | Y280S-4            | 75         | 160                                | 1818 | 220 | 870  | 1577 | 340 | 985  | 550 | 550 | 535 | 1035 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 1044                           |
| GHS150-200           | Y250M-4            | 55         | 160                                | 1743 | 220 | 820  | 1523 | 340 | 910  | 550 | 550 | 535 | 1035 | 3 | 16 | Ø28 | Ø200                 | Ø295 | Ø340 | 12-Ø22 | Ø150                   | Ø240 | Ø285 | 8-Ø22  | 926                            |
|                      | Y180M-4            | 18.5       | 160                                | 1348 | 114 | 780  | 1145 | 234 | 690  | 540 | 365 | 426 | 826  | 3 | 16 | Ø24 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 425                            |
| GHS150-260           | Y160L-4            | 15         | 160                                | 1298 | 114 | 750  | 1133 | 234 | 640  | 540 | 330 | 426 | 826  | 3 | 16 | Ø24 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 399                            |
|                      | Y200L-4            | 30         | 160                                | 1453 | 119 | 800  | 1254 | 239 | 760  | 440 | 440 | 396 | 751  | 3 | 16 | Ø24 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 495                            |
| GHS150-320           | Y180L-4            | 22         | 160                                | 1423 | 119 | 750  | 1219 | 239 | 730  | 440 | 440 | 396 | 751  | 3 | 16 | Ø24 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 444                            |
|                      | Y250M-4            | 55         | 160                                | 1603 | 150 | 870  | 1383 | 270 | 910  | 540 | 540 | 440 | 840  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 696                            |
| GHS150-400           | Y225M-4            | 45         | 160                                | 1528 | 140 | 820  | 1320 | 260 | 835  | 540 | 540 | 440 | 840  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 626                            |
|                      | Y225S-4            | 37         | 160                                | 1503 | 140 | 820  | 1295 | 260 | 810  | 540 | 540 | 440 | 840  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 591                            |
| GHS150-500           | Y280M-4            | 90         | 160                                | 1728 | 190 | 910  | 1488 | 310 | 1035 | 550 | 550 | 475 | 925  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 942                            |
|                      | Y280S-4            | 75         | 160                                | 1678 | 190 | 910  | 1437 | 310 | 985  | 550 | 550 | 475 | 925  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 927                            |
| GHS150-500           | Y315L1-4           | 160        | 180                                | 2183 | 230 | 1000 | 1773 | 350 | 1330 | 625 | 625 | 560 | 1060 | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 1846                           |
|                      | Y315M-4            | 132        | 180                                | 2418 | 220 | 1000 | 1773 | 340 | 1565 | 625 | 625 | 560 | 1060 | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 1638                           |
|                      | Y315S-4            | 110        | 180                                | 2073 | 220 | 910  | 1692 | 340 | 1220 | 625 | 625 | 560 | 1060 | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 1544                           |
| GHS200-260           | Y200L-4            | 30         | 180                                | 1493 | 120 | 750  | 1274 | 240 | 760  | 540 | 540 | 440 | 840  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 566                            |
|                      | Y180L-4            | 22         | 180                                | 1463 | 120 | 750  | 1239 | 240 | 730  | 540 | 540 | 440 | 840  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 524                            |
|                      | Y180M-4            | 18.5       | 180                                | 1423 | 120 | 750  | 1200 | 240 | 690  | 540 | 540 | 440 | 840  | 3 | 16 | Ø28 | Ø250                 | Ø355 | Ø405 | 12-Ø26 | Ø200                   | Ø295 | Ø340 | 12-Ø22 | 508                            |
| GHS200-320           | Y280S-4            | 75         | 200                                | 1858 | 190 | 910  | 1577 | 310 | 985  | 550 | 550 | 540 | 990  | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 952                            |
|                      | Y250M-4            | 55         | 200                                | 1783 | 190 | 910  | 1523 | 310 | 910  | 550 | 550 | 515 | 965  | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 802                            |
|                      | Y225M-4            | 45         | 200                                | 1678 | 140 | 820  | 1460 | 260 | 805  | 550 | 550 | 515 | 965  | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 733                            |
| GHS200-400           | Y315M-4            | 132        | 200                                | 2203 | 230 | 1000 | 1773 | 350 | 1330 | 625 | 625 | 540 | 1040 | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 1563                           |
|                      | Y315S-4            | 110        | 200                                | 2093 | 230 | 1000 | 1692 | 350 | 1220 | 625 | 625 | 540 | 1040 | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 1469                           |
|                      | Y280M-4            | 90         | 200                                | 1908 | 190 | 910  | 1628 | 310 | 1035 | 550 | 550 | 540 | 1040 | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 1096                           |
| GHS200-500           | Y355M-4            | 250        | 210                                | 2453 | 230 | 1100 | 1922 | 400 | 1565 | 725 | 725 | 625 | 1125 | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 2587                           |
|                      | Y315L2-4           | 200        | 210                                | 2218 | 230 | 1100 | 1828 | 400 | 1330 | 715 | 715 | 625 | 1125 | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 1962                           |
|                      | Y315L1-4           | 160        | 210                                | 2218 | 230 | 1100 | 1828 | 400 | 1330 | 715 | 715 | 625 | 1125 | 3 | 16 | Ø28 | Ø300                 | Ø410 | Ø460 | 12-Ø26 | Ø300                   | Ø410 | Ø460 | 12-Ø26 | 1833                           |
| GHS250-320           | Y280M-4            | 90         | 200                                | 1908 | 190 | 910  | 1653 | 335 | 1035 | 595 | 595 | 540 | 1065 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 1131                           |
|                      | Y280S-4            | 75         | 200                                | 1858 | 190 | 910  | 1602 | 335 | 985  | 595 | 595 | 540 | 1065 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 1027                           |
| GHS250-400           | Y315L2-4           | 200        | 250                                | 2253 | 230 | 1000 | 1823 | 400 | 1330 | 705 | 705 | 625 | 1125 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 1799                           |
|                      | Y315M-4            | 132        | 250                                | 2253 | 230 | 1000 | 1742 | 400 | 1330 | 705 | 705 | 585 | 1085 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 1592                           |
|                      | Y315S-4            | 110        | 250                                | 2143 | 230 | 1000 | 1742 | 400 | 1220 | 705 | 705 | 585 | 1085 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 1498                           |
| GHS250-500           | Y280S-4            | 75         | 250                                | 1908 | 190 | 910  | 1627 | 360 | 985  | 705 | 705 | 585 | 1085 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 1021                           |
|                      | Y355L2-4           | 315        | 240                                | 2683 | 230 | 1100 | 2122 | 400 | 1565 | 725 | 725 | 650 | 1195 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 2877                           |
|                      | Y355M-4            | 250        | 240                                | 2683 | 230 | 1100 | 2122 | 400 | 1565 | 725 | 725 | 650 | 1195 | 3 | 16 | Ø28 | Ø350                 | Ø470 | Ø520 | 16-Ø26 | Ø350                   | Ø470 | Ø520 | 16-Ø26 | 2726                           |
| GHS300-400           | Y355M-4            | 250        | 280                                | 2723 | 230 | 1100 | 2122 | 400 | 1565 | 795 | 795 | 725 | 1325 | 3 | 16 | Ø28 | Ø400                 | Ø525 | Ø580 | 16-Ø30 | Ø400                   | Ø525 | Ø580 | 16-Ø30 | 2807                           |
|                      | Y315L2-4           | 200        | 280                                | 2488 | 230 | 1100 | 2028 | 400 | 1330 | 795 | 795 | 725 | 1325 | 3 | 16 | Ø28 | Ø400                 | Ø525 | Ø580 | 16-Ø30 | Ø400                   | Ø525 | Ø580 | 16-Ø30 | 2182                           |
|                      | Y315L1-4           | 160        | 280                                | 2488 | 230 | 1100 | 2028 | 400 | 1330 | 795 | 795 | 725 | 1325 | 3 | 16 | Ø28 | Ø400                 | Ø525 | Ø580 | 16-Ø30 | Ø400                   | Ø525 | Ø580 | 16-Ø30 | 2053                           |

注: 1、电机为GSD标配Y<sub>2</sub>系列。The above motor size is of pump with GSD standard configuration motor Y<sub>2</sub> series.

2、出厂标准配置不含吸入、吐出锥管。

The suction and discharge pipe is not in the ex-factory standard layout.



如蒙洽询请指示下列各项：  
For further details, please fulfill the chart below.

客户  
Customer \_\_\_\_\_

承办人员  
Undertaker \_\_\_\_\_

工程名称  
Name of project \_\_\_\_\_

工程地点  
Address of project \_\_\_\_\_

电话  
Telephone \_\_\_\_\_

传真  
Fax \_\_\_\_\_

订购机型  
Type \_\_\_\_\_

订购数量  
Quantity \_\_\_\_\_

|                                |                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                            |                                                                                      |                                  |  |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------------|--|
| 性能参数<br>Performance parameters | 介质名称<br>Medium name                                                                                                                                                                                                                                             |                                                                                                                                                                                                                            |                                                                                      | * 介质温度(°C)<br>Medium temperature |  |
|                                | * 流量(m <sup>3</sup> /h)<br>Capacity                                                                                                                                                                                                                             |                                                                                                                                                                                                                            |                                                                                      | * 扬程(m)<br>Head                  |  |
|                                | * 进口压力(MPa)<br>Inlet pressure                                                                                                                                                                                                                                   |                                                                                                                                                                                                                            |                                                                                      |                                  |  |
|                                | 轴封型式<br>Seal form                                                                                                                                                                                                                                               | <input type="checkbox"/> 机械密封 (标准配置)<br>Mechanical seal (standard) <input type="checkbox"/> 其他<br>Other _____                                                                                                              |                                                                                      |                                  |  |
|                                | 主要部件材质<br>Major parts' material                                                                                                                                                                                                                                 | 泵体<br>Pump body                                                                                                                                                                                                            | <input type="checkbox"/> HT250 标准配置<br>Standard <input type="checkbox"/> 其他<br>Other |                                  |  |
|                                |                                                                                                                                                                                                                                                                 | 叶轮<br>Impeller                                                                                                                                                                                                             | <input type="checkbox"/> HT250 标准配置<br>Standard <input type="checkbox"/> 其他<br>Other |                                  |  |
|                                |                                                                                                                                                                                                                                                                 | 轴<br>Shaft                                                                                                                                                                                                                 | <input type="checkbox"/> 2Cr13 标准配置<br>Standard <input type="checkbox"/> 其他<br>Other |                                  |  |
|                                | 泵安装型式<br>Installation type                                                                                                                                                                                                                                      | <input type="checkbox"/> 从传动端看泵方向为顺时针方向旋转(标准配置)<br>Clockwise rotation looking from motor to pump body (standard).<br><input type="checkbox"/> 从传动端看泵方向为逆时针方向旋转<br>Anti-clockwise rotation looking from motor to pump body. |                                                                                      |                                  |  |
|                                | 电源<br>Power                                                                                                                                                                                                                                                     | 电压(V)<br>Voltage                                                                                                                                                                                                           |                                                                                      | 频率(Hz)<br>Frequency              |  |
|                                | 电机<br>Motor                                                                                                                                                                                                                                                     | 型号<br>Type                                                                                                                                                                                                                 |                                                                                      | 功率(kW)<br>Power                  |  |
| 防护等级<br>IP code                |                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                            | 绝缘要求<br>Class of insulation                                                          |                                  |  |
| 其他要求<br>Other requirement      |                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                            |                                                                                      |                                  |  |
| 备注<br>Notes                    | 1. 出厂标准配置不含地脚螺栓和吸入、吐出锥管。<br>The foundation bolt and discharge cone are not in the ex-factory standard layout.<br>2. 以上资料请尽可能填写完整, 以便于选择最佳机型, 项目前加注“*”者, 请务必填写。<br>Please fill in the parameter lists as complete as possible. The item with “*” must be filled. |                                                                                                                                                                                                                            |                                                                                      |                                  |  |



## 欢迎索取以下产品型录



### 泵系列

- 潜水泵系列
- 陆上泵系列
- 特种泵系列
- 消防泵系列



### 搅拌推流系列

- 搅拌机系列
- 推流器系列



### 供氧曝气系列

- 曝气机系列
- 曝气盘系列
- 曝气管系列



### 风机系列

- 三叶罗茨鼓风机系列
- 增压罗茨鼓风机系列



### 污泥处理设备 及其他

- 固液分离系列
- 泡药设备
- 输送设备



川源（中国）机械有限公司  
GSD Industrial Co., Ltd.

免费咨询电话

**400-657-9066**

本型录内容如有变更，恕不另行通知。  
We reserve the right to change content without notice.

CY-G7

